BLOCK, LUTZ H., JAKSCHE, HERBERT, BAMBERGER, STEPHAN, and RUHENSTROTH-BAUER, GERHARD. Human migration inhibitory factor: purification and immunochemical characterization 541
BLOOM, BARRY R. See JU, UDEM, RAGER-ZISMAN, and BLOOM 1637
BLUMENCRANZ, STEVEN J. See STEINMAN, BLUMENCRANZ, MACHTINGER, FRIED, and COHN 297
BOCKMAN, R. See KURLAND and BOCKMAN 952
BODEL, PHYLLIS. Spontaneous pyrogen production by mouse histiocytic and myelomonocytic tumor cell lines in vitro 1503
BOSCH, ALBERT. See DURAN-REYNALS, LILLY, BOSCH, and Blank 459
BOTZENHARDT, U., KLEIN, J., and ZIFF, M. Primary in vitro cell-mediated lympholysis reaction of NZB mice against unmodified targets syngeneic at the major histocompatibility complex 1435
BOUMA, BONNO N. See REVAK, COCHRANE, BOUMA, and GRIFFIN 719
BOURGUIGNON, LILLY, Y. W., HYMAN, ROBERT, TROWBRIDGE, IAN, and SINGER, S. J. Localization of T25 glycoprotein in wild-type and Thy 1^- mutant cells by immunofluorescence and immunoelectron microscopy 1348
BOYSE, EDWARD A. See SCHEID, GOLDSTEIN, and BOYSE 1727
—. See TUNG, O'DONNELL, FLEISSNER, and BOYSE 1280
BRACIALE, T. J., and YAP, K. L. Role of viral infectivity in the induction of influenza virus-specific cytotoxic T cells 1236
BRALEY-MULLEN, HELEN. Antigen requirements for induction of B-memory cells. Studies with dinitrophenyl coupled to T-dependent and T-independent carriers 1824
BREARD, JACQUELINE. See NATHAN, CHESS, HILLMAN, CLARKE, BREARD, MERLER, and HOUSMAN 324
BUBBERS, J. ERIC, CHEN, SUZIE, and LILLY, FRANK. Nonrandom inclusion of *H-2K* and *H-2D* antigens in Friend virus particles from mice of various strains 340
BULTERMAN, DINI. See VAN DER MEER, BULTERMAN, VAN ZWET, ELZENGA-CLAASEN, and VAN FURTH 271
BURAKOFF, STEVEN. See MESCHER, SHERMAN, LEMONNIER, and BURAKOFF 946

C

CALKINS, C. E., and STUTMAN, O. Changes in suppressor mechanisms during postnatal development in mice 87
CALLAHAN, G. N. See ZINKERNAGEL, CALLAHAN, ALTHAGE, COOPER, KLEIN, and KLEIN 882
—. See ZINKERNAGEL, CALLAHAN, ALTHAGE, COOPER, STREILEIN, and KLEIN 897
CAMPBELL, P. S. See MATHIESON, CAMPBELL, POTTER, and ASOFSKY 1267
CAMPBELL, RICHARD. See FRANCUS, DHARMGRONGARTAMA, CAMPBELL, SCHARFF, and BIRSHTEIN 1535
CANCRO, MICHAEL P., GERHARD, WALTER, and KLINMAN, NORMAN R. The diversity of the influenza-specific primary B-cell repertoire in BALB/c mice 776
—. SIGAL, NOLAN H., and KLINMAN, NORMAN R. Differential expression of an equivalent clonotype among BALB/c and C57BL/6 mice 1
CANTOR, H., MCVAY-BOUDREAU, L., HUGENBERGER, J., NAIDORF, K., SHEN, F. W., and GERSHON, R. K. Immunoregulatory circuits among T-cell sets. II. Physiologic role of feedback inhibition in vivo: absence in NZB mice 1116
—. See EARDLEY, HUGENBERGER, MCVAY-BOUDREAU, SHEN, GERSHON, and CANTOR 1106
CARLO, JAIME R. See CONRAD, CARLO, and RUDDY 1792
CHANDLER, P. R. See HURME, HETHERINGTON, CHANDLER, and SIMPSON 758
—. See HURME, CHANDLER, HETHERINGTON, and SIMPSON 768
CHANG, K-P. and DWYER, D. M. *Leishmania donovani*. Hamster macrophage interactions in vitro: cell entry, intracellular survival, and multiplication of amastigotes 515
CHASE, CATHARINE M. See RUSSELL, CHASE, COLVIN, and PLATE 1449, 1469
CHEN, SUZIE. See BUBBERS, CHEN, and LILLY 340
CHESS, LEONARD. See EVANS, CHESS, LEVINE, and SCHLOSSMAN 605
—. See NATHAN, CHESS, HILLMAN, CLARKE, BREARD, MERLER, and HOUSMAN 324
CLAMAN, HENRY N. See MILLER, SY, and CLAMAN 788
CLARKE, BRYAN. See NATHAN, CHESS, HILLMAN, CLARKE, BREARD, MERLER, and HOUSMAN 324
COCHRANE, CHARLES G. See LENNON, SEYBOLD, LINSTROM, COCHRANE, and ULEVITCH 973
—. See REVAK, COCHRANE, BOUMA, and GRIFFIN 719
COHN, ZANVIL A. See GORDON and COHN 1175
—. See STEINMAN, BLUMENCRANZ, MACHTINGER, FRIED, and COHN 297
—. See STEINMAN, MACHTINGER, FRIED, and COHN 279
COLVIN, ROBERT B. See RUSSELL, CHASE, COLVIN, and PLATE 1449, 1469
CONLIFFE, MCGREGOR A. See GIPSON, IMAMURA, CONLIFFE, and MARTIN 1363
CONRAD, DANIEL H., CARLO, JAIME R., and RUDDY, SHAUN. Interaction of β1H globulin with cell-bound C3b. Quantitative analysis of binding and influence of alternative path-

way components on binding 1792
COONS, ALBERT H. See SHEK and COONS 1213
—. See SHEK, WALTENBAUGH, and COONS 1228
COOPER, MAX D. See GROSSI WEBB, ZICCA, LYDYARD, MORETTA, MINGARI, and COOPER 1405
COOPER, NEIL R. See ZICCARDI and COOPER 385
COOPER, S. See ZINKERNAGEL, CALLAHAN, ALTHAGE, COOPER, KLEIN, and KLEIN 882
—. See ZINKERNAGEL, CALLAHAN, ALTHAGE, COOPER, STREILEIN, and KLEIN 897
COTRAN, RAMZI S. See SCHREINER, COTRAN, PARDO, and UNANUE 369
COUTINHO, ANTONIO. See ANDERSSON, COUTINHO, and MELCHERS 1774
COWING, CAROL. See SINGER, COWING, HATHCOCK, DICKLER, and HODES 1611
CRAGO, SYLVIA S., KULHAVY, ROSE, PRINCE, SHIRLEY J., and MESTECKY, JIRI. Secretory component on epithelial cells is a surface receptor for polymeric immunoglobulins 1832
CRAMER, M. See KRAWINKEL, CRAMER, MELCHERS, IMANISHI-KARI, and RAJEWSKY 1341

D

DANIELE, RONALD P., HOLIAN, SANDRA K., and NOWELL, PETER C. A potassium ionophore (nigericin) inhibits stimulation of human lymphocytes by mitogens 571
DANØ, KELD, and REICH, E. Serine enzymes released by cultured neoplastic cells 745
DATTA, SYAMAL K., MANNY, NOGA, ANDRZEJEWSKI, CHESTER, ANDRÉ-SCHWARTZ, JANINE, and SCHWARTZ, ROBERT S. Genetic studies of autoimmunity and retrovirus expression in crosses of New Zealand black mice. I. Xenotropic virus 854
—. MCCONAHEY, PATRICIA J., MANNY, NOGA, THEOFILOPOULOS, ARGYRIOS, N., DIXON, FRANK J., and SCHWARTZ, ROBERT S. Genetic studies of autoimmunity and retrovirus expression in crosses of New Zealand black mice. II. The viral envelope glycoprotein gp70 872
DAVID, CHELLA S. See OKUDA and DAVID 1028
DAVIS, CHARLES E., ZIEGLER, ELIZABETH J., and ARNOLD, KAREN F. Neutralization of meningococcal endotoxin by antibody to core glycolipid 1007
DEAK, BEVERLY D., MERUELO, DANIEL, and MCDEVITT, HUGH O. Expression of a single major histocompatibility complex locus controls the immune response to poly-L-(tyrosine, glutamic acid)-poly-DL-alanine—poly-L-lysine 599
DEE, ROBERT R. See TRINCHIERI, SANTOLI, DEE, and KNOWLES 1299
DELAITTRE, JOAN A. See HARRISON, ASTLE, and DELAITTRE 1526
DELOVITCH, TERRY L., BIGGIN, JUDITH, and FUNG, FOON-YEE. In vitro analysis of allogeneic lymphocyte interaction. II. *I*-region control of the activity of a B-cell-derived *H-2*-restricted allogeneic effect factor and its receptor during B-cell activation 1198
DEUEL, ESTHER. See LINDENMANN, DEUEL, FANCONI, and HALLER 531
DHARMGRONGARTAMA, B. See FRANCUS, DHARMGRONGARTAMA, CAMPBELL, SCHARFF, and BIRSHTEIN 1535
DICKLER, HOWARD B. See SINGER, COWING, HATHCOCK, DICKLER, and HODES 1611
DIXON, FRANK J. See DATTA, MCCONAHEY, MANNY, THEOFILOPOULOS, DIXON, and SCHWARTZ 872
—. See EISENBERG, TAN, and DIXON 582
DORF, MARTIN E. See PIERRES, GERMAIN, DORF, and BENACERRAF 656
DORIE, MARY J. See MALONEY, DORIE, LAMELA, ROGERS, and PATT 1189
DOWLING, JOHN P. See HOLDSWORTH, THOMSON, GLASGOW, DOWLING, and ATKINS 98
DURAN-REYNALS, MARIA L., LILLY, FRANK, BOSCH, ALBERT, and BLANK, KENNETH J. The genetic basis of susceptibility to leukemia induction in mice by 3-methylcholanthrene applied percutaneously 459
DWYER, D. M. See CHANG and DWYER 515

E

EAKLEY, LOIS. See WARNER, BERNTSON, EAKLEY, MCIVOR, and NEWTON 1849
EARDLEY, D. D., HUGENBERGER, J., MCVAY-BOUDREAU, L., SHEN, F. W., GERSHON, R. K., and CANTOR, H. Immunoregulatory circuits among T-cell sets. I. T-helper cells induce other T-cell sets to exert feedback inhibition 1106
EASTCOTT, JEAN W. See KUMAR, GOLDSCHMIDT, EASTCOTT, and BENNETT 422
EDELSON, PAUL J., and ERBS, CHERYL. Plasma membrane localization and metabolism of alkaline phosphodiesterase I in mouse peritoneal macrophages 77
EISENBERG, ROBERT A., TAN, ENG M., and DIXON, FRANK J. Presence of anti-Sm reactivity in autoimmune mouse strains 582
ELFENBEIN, G. J. See VOLF, SENSENBRENNER, SHARKIS, ELFENBEIN, and SCHER 940
ELZENGA-CLAASEN, INE. See VAN DER MEER, BULTERMAN, VAN ZWET, ELZENGA-CLAASEN, and VAN FURTH 271
EMESON, EUGENE E. Migratory behavior of lymphocytes with specific reactivity to alloantigens. II. Selective recruitment to lymphoid cell allografts and their draining lymph nodes 13
EMLEN, WOODRUFF, and MANNIK, MART. Kinetics and mechanisms for removal of circulat-

ing single-stranded DNA in mice 684
ENGLEMAN, EDGAR G., MCMICHAEL, A. J., BATEY, M. E., and MCDEVITT, H. O. A suppressor T cell of the mixed lymphocyte reaction in man specific for the stimulating alloantigen. Evidence that identity at HLA-D between suppressor and responder is required for suppression 137
—. MCMICHAEL, ANDREW J., and MCDEVITT, HUGH O. Suppression of the mixed lymphocyte reaction in man by a soluble T-cell factor. Specificity of the factor for both responder and stimulator 1037
ENGVALL, EVA, RUOSLAHTI, ERKKI, and MILLER, EDWARD J. Affinity of fibronectin to collagens of different genetic types and to fibrinogen 1584
ENNIS, FRANCIS A. See VERBONITZ, ENNIS, HICKS, and ALBRECHT 265
ERBS, CHERYL. See EDELSON, and ERBS 77
ESSER, ALFRED F. See BARTHOLOMEW, ESSER, and MÜLLER-EBERHARD 844
EVANS, ROBERT L., CHESS, LEONARD, LEVINE, HERBERT, and SCHLOSSMAN, STUART F. Antibody-dependent cellular cytotoxicity by allosensitized human T cells 605

F

FANCONI, SERGIO. See LINDENMANN, DEUEL, FANCONI, and HALLER 531
FEARON, DOUGLAS T. See WEILER, YURT, FEARON, and AUSTEN 409
FELDMANN, MARC. See KONTIAINEN, and FELDMANN 110
FERNANDEZ, CARMEN, and MÖLLER, GÖRAN. Immunological unrespnsiveness to native dextran B512 in young animals of dextran high responder strains is due to lack of Ig receptor expression Evidence for a nonrandom expression of V-genes 645
FISCHETTI, VINCENT A. Streptococcal M protein extracted by nonionic detergent. III. Correlation between immunological cross-reactions and structural similarities with implications for anti-phagocytosis 1771
FLEISSNER, ERWIN. See TUNG, O'DONNELL, FLEISSNER, and BOYSE 1280
FOLEY, ROSEMARY. See WERB, FOLEY, and MUNCK 1684
FRANCUS, TOVA, DHARMGRONGARTAMA, B., CAMPBELL, RICHARD, SCHARFF, MATTHEW D., and BIRSHTEIN, BARBARA K. IgG_{2a}-producing variants of an IgG_{2b}-producing mouse myeloma cell line 1535
FRASCH, CARL E., and ROBBINS, JOAN D. Protection against group B meningococcal disease. II. Infection and resulting immunity in a guinea pig model 619
—. Protection against group B meningococcal disease. III. Immunogenicity of serotype 2 vaccines and specificity of protection in a guinea pig model 629
FRELINGER, JEFFREY A. See WETTSTEIN, BAILEY, MOBRAATEN, KLEIN, and FRELINGER 1395
FRIED, JERROLD. See STEINMAN, BLUMENCRANZ, MACHTINGER, FRIED, and COHN 297
—. See STEINMAN, MACHTINGER, FRIED, and Cohn 279
FRISCHKNECHT, HANNES, BINZ, HANS, and WIGZELL, HANS. Induction of specific transplantation immune reactions using anti-idiotypic antibodies 500
FUKS, Z. See SLAVIN, FUKS, KAPLAN, and STROBER. 963
FUNG, FOON-YEE. See DELOVITCH, BIGGIN, and FUNG 1198

G

GARDNER, DONALD E. See HATCH, GARDNER, and MENZEL 182
GERHARD, WALTER. See CANCRO, GERHARD, and KLINMAN 776
GERMAIN, RONALD N., THÈZE, JACQUES, KAPP, JUDITH A., and BENACERRAF, BARUJ. Antigen-specific T-cell-mediated suppression. I. Induction of L-glutamic $acid^{60}$-L-$alanine^{30}$-L-$tyrosine^{10}$ specific suppressor T cells in vitro requires both antigen-specific T-cell-suppressor factor and antigen 123
—. See PIERRES, GERMAIN, DORF, and BENACERRAF 656
GERSHON, R. K. See CANTOR, MCVAY-BOUDREAU, HUGENBERGER, NAIDORF, SHEN, and GERSHON 1116
—. See EARDLEY, HUGENBERGER, MCVAY-BOUDREAU, SHEN, GERSHON, and CANTOR 1106
GINSBERG, M. H., and HENSON, P. M. Enhancement of platelet response to immune complexes and IgG aggregates by lipid A-rich bacterial lipopolysaccharides 207
GIPSON, THOMAS G., IMAMURA, MASAHIRO, CONLIFFE, MCGREGOR A., and MARTIN, W. JOHN. Lung tumor-associated derepressed alloantigen coded for by the *K* region of the *H-2* major histocompatibility complex 1363
GLASGOW, ERIC F. See HOLDSWORTH, THOMSON, GLASGOW, DOWLING, and ATKINS 98
GOLDSCHMIDT, LEONARD. See KUMAR, GOLDSCHMIDT, EASTCOTT, and BENNETT 422
GOLDSTEIN, ALLAN L. See PAZMIÑO, IHLE, and GOLDSTEIN 708
GOLDSTEIN, GIDEON. See SCHEID, GOLDSTEIN, and BOYSE 1727
—. See BASCH, KADISH, and GOLDSTEIN 1843
GOLSTEIN, PIERRE. See MACLENNAN and GOLSTEIN 1551
—. See WAGNER, STARZINSKI-POWITZ, RÖLLINGHOFF, GOLSTEIN, and JAKOB 251
GOODMAN, J. R. See ROUBINIAN, TALAL, GREENSPAN, GOODMAN, and SIITERI 1568
GOODMAN, MICHAEL G., PARKS, D. ELLIOT, and WEIGLE, WILLIAM O. Immunologic responsiveness of the C3H/HeJ mouse: differential ability of butanol-extracted lipopolysaccha-

ride (LPS) to evoke LPS-mediated effects 800
GORDON, SAIMON, and COHN, ZANVIL A. Bacille Calmette-Guérin infection in the mouse. Regulation of macrophage plasminogen activator by T lymphocytes and specific antigen 1175
GRANELLI-PIPERNO, ANGELA. See VASSALLI, GRANELLI-PIPERNO, GRISCELLI, and REICH 1285
GRANICK, S. See GRIENINGER and GRANICK 1806
GREENSPAN, J. S. See ROUBINIAN, TALAL, GREENSPAN, GOODMAN, and SIITERI 1568
GRIENINGER, GERD, and GRANICK, S. Synthesis and secretion of plasma proteins by embryonic chick hepatocytes: changing patterns during the first three days of culture 1806
GRIFFIN, JOHN H. See REVAK, COCHRANE, BOUMA, and GRIFFIN 719
GRISCELLI, CLAUDE. See VASSALLI, GRANELLI-PIPERNO, GRISCELLI, and REICH 1285
GROSSI, CARLO E., WEBB, SUSAN R., ZICCA, ANTONIO, LYDYARD, PETER M., MORETTA, LORENZO, MINGARI, M. CRISTINA, and COOPER, MAX D. Morphological and histochemical analyses of two human T-cell subpopulations bearing receptors for IgM or IgG 1405

H

HAAS, WERNER. See VON BOEHMER, HAAS, and POHLIT 1291
HALL, JOE. see ORLANS, PEPPARD, REYNOLDS, and HALL 588
HALLER, OTTO. See LINDENMANN, DEUEL, FANCONI, and HALLER 531
HAMBURG, S. I., MANEVIAS, R. E., and RABINOVITCH, M. Macrophage activation: increased ingestion of IgG-coated erythrocytes after administration of interferon inducers to mice 593
HARRISON, DAVID E., ASTLE, CLINTON M., and DELAITTRE, JOAN A. Loss of proliferative capacity in immunohemopoietic stem cells caused by serial transplantation rather than aging 1526
HATCH, GARY E., GARDNER, DONALD E., and MENZEL, DANIEL B. Chemiluminescence of phagocytic cells caused by *N*-formylmethionyl peptides 182
HATHCOCK, KAREN S. See SINGER, COWING, HATHCOCK, DICKLER, and HODES 1611
HENKART, PIERRE A. See SCHMITT-VERHULST, PETTINELLI, HENKART, LUNNEY, and SHEARER 352
HENNING, MARGARET M. See MCKENZIE and HENNING 611
HENSON, P. M. See GINSBERG and HENSON 207
HERZENBERG, LEONARD A. See BLACK, VAN DER LOO, LOKEN, and HERZENBERG 984
HETHERINGTON, C. M. See HURME, HETHERINGTON, CHANDLER, and SIMPSON 758
HETHERINGTON, C. M. See HURME, CHANDLER, HETHERINGTON, and SIMPSON 768
HICKS, JOHN T. See VERBONITZ, ENNIS, HICKS, and ALBRECHT 265
HILLMAN, DIANE G. See NATHAN, CHESS, HILLMAN, CLARKE, BREARD, MERLER, and HOUSMAN 324
HODES, RICHARD J. See SINGER, COWING, HATHCOCK, DICKLER, and HODES 1611
HOLDSWORTH, STEPHEN R., THOMSON, NAPIER M., GLASGOW, ERIC F., DOWLING, JOHN P., and ATKINS, ROBERT C. Tissue culture of isolated glomeruli in experimental crescentic glomerulonephritis 98
HOLIAN, SANDRA K. See DANIELE, HOLIAN, and NOWELL 571
HOUSMAN, DAVID E. See NATHAN, CHESS, HILLMAN, CLARKE, BREARD, MERLER, and HOUSMAN 324
HUGENBERGER, J. See CANTOR, MCVAY-BOUDREAU, HUGENBERGER, NAIDORF, SHEN, and GERSHON 1116
—. See EARDLEY, HUGENBERGER, MCVAY-BOUDREAU, SHEN, GERSHON, and CANTOR 1106
HURME, M., HETHERINGTON, C. M., CHANDLER, P. R., and SIMPSON, ELIZABETH. Cytotoxic T-cell responses to H-Y: mapping of the Ir genes 758
—. CHANDLER, P. R., HETHERINGTON, C. M., and SIMPSON, ELIZABETH. Cytotoxic T-cell responses to H-Y: correlation with the rejection of syngeneic male skin grafts 768
HYMAN, ROBERT. See BOURGUIGNON, HYMAN, TROWBRIDGE, and SINGER 1348

I

IMAMURA, MASAHIRO. See GIPSON, IMAMURA, CONLIFFE, and MARTIN 1363
IMANISHI-KARI, T. See KRAWINKEL, CRAMER, MELCHERS, IMANISHI-KARI, and RAJEWSKY 1341
IHLE, JAMES N. See PAZMIÑO, IHLE, and GOLDSTEIN 708
INMAN, J. K. See MERCHANT, SNIPPE, LIZZIO, and INMAN 1755
ISCOVE, N. N., and MELCHERS, F. Complete replacement of serum by albumin, tranferrin, and soybean lipid in cultures of lipopolysaccharide-reactive B lymphocytes 923

J

JACKSON, GRAHAM DOUGLAS FISHER. See LEMAÎTRE-COELHO, JACKSON, and VAERMAN 934
JAFFE, ERIC A., and MOSHER, DEANE F. Synthesis of fibroncetin by cultured human endothelial cells 1779
JAKOB, HEDWIG. See WAGNER, STARZINSKI-POWITZ, RÖLLINGHOFF, GOLSTEIN, and JAKOB 251

JAKSCHE, HERBERT. See BLOCK, JAKSCHE, BAMBERGER, and RUHENSTROTH-BAUER 541
JANEWAY, CHARLES A., JR., MURPHY, PATRICIA D., KEMP, JOHN, and WIGZELL, HANS. T cells specific for hapten-modified self are precommitted for self major histocompatibility complex antigens before encounter with the hapten 1065
JAROWSKI, CHARLES I. See ROSS, JAROWSKI, RABELLINO, and WINCHESTER 730
JEGASOTHY, BRIAN V. See WAGSHAL, JEGASOTHY, and WAKSMAN 171
JENSEN, FRED C. See ALSPAUGH, JENSEN, RABIN, and TAN 1018
JONDAL, MIKAEL, and TARGAN, STEPHAN. In vitro induction of cytotoxic effector cells with spontaneous killer cell specificity 1621
JONES, PATRICIA P. See MERUELO, NIMELSTEIN, JONES, LIEBERMAN, and MCDEVITT 470
JONES, THOMAS C. See MASUR and JONES 157
JU, GRACE, UDEM, STEPHEN, RAGER-ZISMAN, BRACHA, and BLOOM, BARRY R. Isolation of a heterogeneous population of temperature-sensitive mutants of measles virus from persistently infected human lymphoblastoid cell lines 1637

K

KABAT, ELVIN A. See KISAILUS and KABAT 830
KADISH, JULIAN L. See BASCH, KADISH, and GOLDSTEIN 1843
KAPLAN, ALLEN P. See THOMPSON, MANDLE, and KAPLAN 488
KAPLAN, H. S. See SLAVIN, FUKS, KAPLAN, and STROBER 963
—. See SLAVIN, REITZ, BIEBER, KAPLAN, and STROBER 700
KAPP, JUDITH A. Immunosuppressive factors from lymphoid cells of nonresponder mice primed with L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10}. IV. Lack of strain restrictions among allogeneic, nonresponder donors and recipients 997
—. See GERMAIN, THÈZE, KAPP, and BENACERRAF 123
KAPPLER, JOHN W. See MARRACK and KAPPLER 1596
—. See SWIERKOSZ, ROCK, MARRACK, and KAPPLER 554
KEES, URSULA. See BLANDEN and KEES 1661
KEMP, JOHN. See JANEWAY, MURPHY, KEMP, and WIGZELL 1065
KIMURA, ARTHUR K., and WIGZELL, HANS. Cell surface glycoproteins of murine cytotoxic T lymphocytes. I. T 145, a new cell surface glycoprotein selectively expressed on Ly 1^-2^+ cytotoxic T lymphocytes 1418
KISAILUS, EDWARD C., and KABAT, ELVIN A. Immunochemical studies on blood groups. LXVI. Competitive binding assays of A_1 and A_2 blood group substances with insolubilized anti-A serum and insolubilized A agglutinin from *Dolichos biflorus* 830
KLASSEN, L. W. See RAVECHÉ, STEINBERG, KLASSEN, and TJIO 1487
KLEIN, JAN. See BOTZENHARDT, KLEIN, and ZIFF 1435
—. See WETTSTEIN, BAILEY, MOBRAATEN, KLEIN, and FRELINGER 1395
—. See ZINKERNAGEL, CALLAHAN, ALTHAGE, COOPER, KLEIN, and KLEIN 882
—. See ZINKERNAGEL, CALLAHAN, ALTHAGE, COOPER, STREILEIN, and KLEIN 897
KLEIN, P. A. See ZINKERNAGEL, CALLAHAN, ALTHAGE, COOPER, KLEIN, and KLEIN 882
KLINMAN, NORMAN R. See CANCRO, GERHARD, and KLINMAN 776
—. See CANCRO, SIGAL, and KLINMAN 1
KNIGHT, J. G., and ADAMS, D. D. Three genes for lupus nephritis in NZB × NZW mice 1653
KNOWLES, BARBARA B. See TRINCHIERI, SANTOLI, DEE, and KNOWLES 1299
KONTIAINEN, SIRKKA, and FELDMANN, MARC. Suppressor-cell induction in vitro. IV. Target of antigen-specific suppressor factor and its genetic relationships 110
KRAMMER, PETER H. Alloantigen receptors on activated T cells in mice. I. Binding of alloantigens and anti-idiotypic antibodies to the same receptors 25
KRAWINKEL, U., CRAMER, M., MELCHERS, I., IMANISHI-KARI, T., and RAJEWSKY, K. Isolated hapten-binding receptors of sensitized lymphocytes. III. Evidence for idiotypic restriction of T-cell receptors 1341
KULHAVY, ROSE. See CRAGO, KULHAVY, PRINCE and MESTECKY 1832
KUMAR, VINAY, GOLDSCHMIDT, LEONARD, EASTCOTT, JEAN W., and BENNETT, MICHAEL. Mechanisms of genetic resistance to Friend virus leukemia in mice. IV. Identification of a gene (*Fv-3*) regulating immunosuppression in vitro, and its distinction from *Fv-2* and genes regulating marrow allograft reactivity 422
KURLAND, J. I. and BOCKMAN, R. Prostaglandin E production by human blood monocytes and mouse peritoneal macrophages 952

L

LAMELA, ROSITO A. See MALONEY, DORIE, LAMELA, ROGERS, and PATT 1189
LARGEN, MICHAEL. See WATSON, LARGEN, and MCADAM 39
LEE, S. K., and OLIVER, R. T. D. Autologous leukemia-specific T-cell-mediated lymphocytotoxicity in patients with acute myelogenous leukemia 912
LEMAÎTRE-COELHO, ISABEL, JACKSON, GRAHAM DOUGLAS FISHER, and VAERMAN, JEAN-PIERRE. High levels of secretory IgA and free secretory component in the serum of rats with bile duct obstruction 934
LEMONNIER, FRANCOIS. See MESCHER, SHER-

MAN, LEMONNIER, and BURAKOFF 946
LENNON, VANDA A., SEYBOLD, MARJORIE E., LINDSTROM, JON M., COCHRANE, CHARLES, and ULEVITCH, RICHARD. Role of complement in the pathogenesis of experimental autoimmune myasthenia gravis 973
LEVINE, HERBERT. See EVANS, CHESS, LEVINE, and SCHLOSSMAN 605
LEVINE, LAWRENCE. See VOELKEL, LEVINE, ALPER, and TASHJIAN 1078
LIEBERMAN, MIRIAM. See MERUELO, NIMELSTEIN, JONES, LIEBERMAN, and MCDEVITT 470
LILLY, FRANK. See BUBBERS, CHEN, and LILLY 340
—. See DURAN-REYNALS, LILLY, BOSCH, and BLANK 459
LINDENMANN, JEAN, DEUEL, ESTHER, FANCONI, SERGIO, and HALLER, OTTO. Inborn resistance of mice to myxoviruses: macrophages express phenotype in vitro 531
LINDSTROM, JON M. See LENNON, SEYBOLD, LINDSTROM, COCHRANE, and ULEVITCH 973
LIZZIO, E. F. See MERCHANT, SNIPPE, LIZZIO, and INMAN 1755
LOBUGLIO, ALBERT F. See WEISS, RUSTAGI, and LOBUGLIO 316
LOKEN, MICHAEL R. See BLACK, VAN DER LOO, LOKEN, and HERZENBERG 984
LUNNEY, JOAN K. See SCHMITT-VERHULST, PETTINELLI, HENKART, LUNNEY, and SHEARER 352
LYDYARD, PETER M. See GROSSI, WEBB, ZICCA, LYDYARD, MORETTA, MINGARI, and COOPER 1405

M

MACHTINGER, BEVERLY G. See STEINMAN, BLUMENCRANZ, MACHTINGER, FRIED, and COHN 297
—. See STEINMAN, MACHTINGER, FRIED, and COHN 279
MACLENNAN, IAN C. M., and GOLSTEIN, PIERRE. Requirement for hexose, unrelated to energy provision, in T-cell-mediated cytolysis at the lethal hit stage 1551
MALONEY, MARY A., DORIE, MARY J., LAMELA, ROSITO A., ROGERS, ZORA R., and PATT, HARVEY M. Hematopoietic stem cell regulatory volumes as revealed in studies of the bg^{J}/bg^{J}: W/W^{V} chimera 1189
MANDLE, ROBERT, JR. See THOMPSON, MANDLE, and KAPLAN 488
MANEJIAS, R. E. See HAMBURG, MANEJIAS, and RABINOVITCH 593
MANNIK, MART. See EMLEN and MANNIK 684
MANNY, NOGA. See DATTA, MANNY, ANDRZEJEWSKI, ANDRÉ-SCHWARTZ, and SCHWARTZ 854
—. See DATTA, MCCONAHEY, MANNY, THEOFILOPOULOS, DIXON, and SCHWARTZ 872
MARRACK, PHILIPPA, and KAPPLER, JOHN W. The role of H-2-linked genes in helper T-cell function. III. Expression of immune response genes for trinitrophenyl conjugates of poly-L(Tyr, Glu)-poly-D,L-Ala--poly-L-Lys in B cells and macrophages 1596
—. See SWIERKOSZ, ROCK, MARRACK, and KAPPLER 554
MARTIN, W. JOHN. See GIPSON, IMAMURA, CONLIFFE, and MARTIN 1363
MASUR, HENRY, and JONES, THOMAS C. The interaction in vitro of *Pneumocystis carinii* with macrophages and L cells 157
MATHIESON, B. J., CAMPBELL, P. S., POTTER, M., and ASOFSKY, R. Expression of Ly 1, Ly 2, Thy 1, and TL differentiation antigens on mouse T-cell tumors 1267
MCADAM, KEITH P. W. J. See WATSON, LARGEN, and MCADAM 39
MCCONAHEY, PATRICIA J. See DATTA, MCCONAHEY, MANNY, THEOFILOPOULOS, DIXON, and SCHWARTZ 872
MCDEVITT, HUGH O. See DEAK, MERUELO, and MCDEVITT 599
—. See ENGLEMAN, MCMICHAEL, BATEY, and MCDEVITT 137
—. See ENGLEMAN, MCMICHAEL, and MCDEVITT 1037
—. See MERUELO, NIMELSTEIN, JONES, LIEBERMAN, and MCDEVITT 470
MCIVOR, JUDITH L. See WARNER, BERNTSON, EAKLEY, MCIVOR, and NEWTON 1849
MCKENZIE, IAN F. C., and HENNING, MARGARET M. The differential destructive and enhancing effects of anti-H-2K, H-2D, and anti-Ia antisera on murine skin allografts 611
MCLAREN, DIANE J. See RAMALHO-PINTO, MCLAREN, and SMITHERS 147
MCMICHAEL, ANDREW J. See ENGLEMAN, MCMICHAEL, BATEY, and MCDEVITT 137
—. See ENGLEMAN, MCMICHAEL, and MCDEVITT 1037
MCVAY-BOUDREAU, L. See CANTOR, MCVAY-BOUDREAU, HUGENBERGER, NAIDORF, SHEN, and GERSHON 1116
—. See EARDLEY, HUGENBERGER, MCVAY-BOUDREAU, SHEN, GERSHON, and CANTOR 1106
MELCHERS, FRITZ. See ANDERSSON, COUTINHO, and MELCHERS 1744
—. See ISCOVE and MELCHERS 923
MELCHERS, I. See KRAWINKEL, CRAMER, MELCHERS, IMANISHI-KARI, and RAJEWSKY 1341
MENZEL, DANIEL B. See HATCH, GARDNER, and MENZEL 182
MERCHANT, B., SNIPPE, H., LIZZIO, E. F., and INMAN, J. K. Cellular and molecular requirements for X-linked, hapten-specific B-cell blockade in CBA/N mice 1755
MERLER, EZIO. See NATHAN, CHESS, HILLMAN, CLARKE, BREARD, MERLER, and HOUSMAN 324

MERUELO, DANIEL, NIMELSTEIN, STEPHEN H., JONES, PATRICIA P., LIEBERMAN, MIRIAM, and MCDEVITT, HUGH O. Increased synthesis and expression of H-2 antigens on thymocytes as a result of radiation leukemia virus infection: a possible mechanism for *H-2*-linked control of virus-induced neoplasia 470

—. See DEAK, MERUELO, and MCDEVITT 599

MESCHER, MATTHEW, SHERMAN, LINDA, LEMONNIER, FRANCOIS, and BURAKOFF, STEVEN. The induction of secondary cytolytic T lymphocytes by solubilized membrane proteins 946

MESTECKY, JIRI. See CRAGO, KULHAVY, PRINCE, and MESTECKY 1832

METCALF, DONALD. See RABELLINO, ROSS, TRANG, WILLIAMS, and METCALF 434

MILLER, EDWARD J. See ENGVALL, RUOSLAHTI, and MILLER 1584

MILLER, STEPHEN D., SY, MAN-SUN, and CLAMAN, HENRY N. Genetic restrictions for the induction of suppressor T cells by haptenmodified lymphoid cells in tolerance to 1-fluoro-2,4-dinitrobenzene contact sensitivity. Role of the *H-2D* region of the major histocompatibility complex 788

MINGARI, M. CRISTINA. See GROSSI, WEBB, ZICCA, LYDYARD, MORETTA, MINGARI, and COOPER 1405

MOBRAATEN, LARRY E. See WETTSTEIN, BAILEY, MOBRAATEN, KLEIN, and FRELINGER 1395

MÖLLER, GÖRAN. See FERNANDEZ and MÖLLER 645

MORETTA, LORENZO. See GROSSI, WEBB, ZICCA, LYDYARD, MORETTA, MINGARI, and COOPER 1405

MOSHER, DEANE F. See JAFFE and MOSHER 1779

MOSIER, DONALD E. See SIECKMANN, ASOFSKY, MOSIER, ZITRON, and PAUL 814

MÜLLER-EBERHARD, HANS J. See BARTHOLOMEW, ESSER, and MÜLLER-EBERHARD 844

MUNCK, ALLAN. See WERB, FOLEY, and MUNCK. 1684

MURGITA, ROBERT A. See PECK, MURGITA, and WIGZELL 667

MURPHY, PATRICIA D. See JANEWAY, MURPHY, KEMP, and WIGZELL 1065

N

NACHMAN, RALPH. See POLLEY and NACHMAN 1713

NAIDORF, K. See CANTOR, MCVAY-BOUDREAU, HUGENBERGER, NAIDORF, SHEN, and GERSHON 1116

NARAYANAN, P. R., and SUNDHARADAS, G. Differential effects of polyadenylic: polyuridylic acid and lipopolysaccharide on the generation of cytotoxic T lymphocytes 1355

NATHAN, DAVID G., CHESS, LEONARD, HILLMAN, DIANE G., CLARKE, BRYAN, BREARD, JACQUELINE, MERLER, EZIO, and HOUSMAN, DAVID E. Human erythroid burst-forming unit: T-cell requirement for proliferation in vitro 324

NEWTON, ROFERT C. See WARNER, BERNTSON, EAKLEY, MCIVOR, and NEWTON 1849

NIMELSTEIN, STEPHEN H. See MERUELO, NIMELSTEIN, JONES, LIEBERMAN, and MCDEVITT 470

NONAKA, MAKOTO. See TADA, TAKEMORI, OKUMURA, NONAKA, and TOKUHISA 446

NOWELL, PETER C. See DANIELE, HOLIAN, and NOWELL 571

O

OBATA, YUICHI, STOCKERT, ELISABETH, O'DONNELL, PAUL V., OKUBO, SHUJI, SNYDER, HARRY W., JR., and OLD, LLOYD J. $G_{(RADA1)}$: a new cell surface antigen of mouse leukemia defined by naturally occurring antibody and its relationship to murine leukemia virus 1089

O'BRIEN, STEPHEN J., and SIMONSON, JANICE M. *Bvr-1*, a restriction locus of a type C RNA virus in the feline cellular genome: pleiotropic restriction of endogenous BALB virus in cat × mouse somatic cell hybrids 219

O'DONNELL, PAUL V. See OBATA, STOCKERT, O'DONNELL, OKUBO, SNYDER, and OLD 1089

—. See TUNG, O'DONNELL, FLEISSNER, and BOYSE 1280

OKUBO, SHUJI. See OBATA, STOCKERT, O'DONNELL, OKUBO, SNYDER, and OLD 1089

OKUDA, KENJI, and DAVID, CHELLA S. A new lymphocyte-activating determinant locus expressed on T cells, and mapping in *I-C* subregion 1028

OKUMURA, KO. See TADA, TAKEMORI, OKUMURA, NONAKA, and TOKUHISA 446

OLD, LLOYD J. See OBATA, STOCKERT, O'DONNELL, OKUBO, SNYDER, and OLD 1089

OLIVER, R. T. D. See LEE and OLIVER 912

ORLANS, EVA, PEPPARD, JANE, REYNOLDS, JOHN, and HALL, JOE. Rapid active transport of immunoglobulin A from blood to bile 588

P

PARDO, VICTORIANO. See SCHREINER, COTRAN, PARDO, and UNANUE 369

PARKS, D. ELLIOT. See GOODMAN, PARKS, and WEIGLE 800

PATT, HARVEY M. See MALONEY, DORIE, LAMELA, ROGERS, and PATT 1189

PAUL, WILLIAM E. See SIECKMANN, ASOFSKY, MOSIER, ZITRON, and PAUL 814

PAZMIÑO, NELSON H., IHLE, JAMES N., and GOLDSTEIN, ALLAN L. Induction in vivo and in vitro of terminal deoxynucleotidyl trans-

ferase by thymosin in bone marrow cells from athymic mice 708
PECK, AMMON B., MURGITA, ROBERT A., and WIGZELL, HANS. Cellular and genetic restrictions in the immunoregulatory activity of alpha-fetoprotein. I. Selective inhibition of anti-Ia-associated proliferative reactions 667
PEPPARD, JANE. See ORLANS, PEPPARD, REYNOLDS, and HALL 588
PETTINELLI, CARLA B. See SCHMITT-VERHULST, PETTINELLI, HENKART, LUNNEY, and SHEARER 352
PIERRES, MICHEL, GERMAIN, RONALD N., DORF, MARTIN E., and BENACERRAF, BARUJ. In vivo effects of anti-Ia alloantisera. I. Elimination of specific suppression by in vivo administration of antisera specific for I-J controlled determinants 656
PISETSKY, DAVID S., BERZOFSKY, JAY A., and SACHS, DAVID H. Genetic control of the immune response to staphylococcal nuclease. VII. Role of non-*H-2*-linked genes in the control of the anti-nuclease antibody response 396
—, and SACHS, DAVID H. Genetic control of the immune response to staphylococcal nuclease. VIII. Mapping of genes for antibodies to different antigenic regions of nuclease 1517
PLATE, JANET M. D. See RUSSELL, CHASE, COLVIN, and PLATE 1449, 1469
POHLIT, HELMUT. See VON BOEHMER, HAAS, and POHLIT 1291
POLLEY, MARGARET J., and NACHMAN, RALPH. The human complement system in thrombin-mediated platelet function 1713
POTTER, M. See MATHIESON, CAMPBELL, POTTER, and ASOFSKY 1267
PRINCE, SHIRLEY J. See CRAGO, KULHAVY, PRINCE, and MESTECKY 1832

R

RABELLINO, ENRIQUE M., ROSS, GORDON D., TRANG, HOANG T. K., WILLIAMS, NEIL, and METCALF, DONALD. Membrane receptors of mouse leukocytes. II. Sequential expression of membrane receptors and phagocytic capacity during leukocyte differentiation 434
—. See ROSS, JAROWSKI, RABELLINO, and WINCHESTER 730
RABIN, HARVEY. See ALSPAUGH, JENSEN, RABIN, and TAN 1018
RABINOVITCH, M. See HAMBURG, MANEJIAS, and RABINOVITCH 593
RAGER-ZISMAN, BRACHA. See JU, UDEM, RAGER-ZISMAN, and BLOOM 1637
RAJEWSKY, K. See KRAWINKEL, CRAMER, MELCHERS, IMANISHI-KARI, and RAJEWSKY 1341
RAMALHO-PINTO, F. J., MCLAREN, DIANE J., and SMITHERS, S. R. Complement-mediated killing of schistosomula of *Schistosoma mansoni* by rat eosinophils in vitro 147
RAVECHÉ, E. S., STEINBERG, A. D., KLASSEN, L. W., and TJIO, J. H. Genetic studies in NZB mice. I. Spontaneous autoantibody production 1487
REICH, E. See DANØ and REICH 745
—. See VASSALLI, GRANELLI-PIPERNO, GRISCELLI, and REICH 1285
REITZ, B. See SLAVIN, REITZ, BIEBER, KAPLAN, and STROBER 700
REVAK, SUSAN D., COCHRANE, CHARLES G., BOUMA, BONNO N., and GRIFFIN, JOHN H. Surface and fluid phase activities of two forms of activated Hageman factor produced during contact activation of plasma 719
REYNOLDS, JOHN. See ORLANS, PEPPARD, REYNOLDS, and HALL 588
RICH, ROBERT R. See SELDIN and RICH 1671
ROBBINS, JOAN D. See FRASCH and ROBBINS 619, 629
ROCK, KENNETH. See SWIERKOSZ, ROCK, MARRACK, and KAPPLER 554
ROGERS, ZORA R. See MALONEY, DORIE, LAMELA, ROGERS, and PATT 1189
RÖLLINGHOFF, MARTIN. See WAGNER, STARZINSKI-POWITZ, RÖLLINGHOFF, GOLSTEIN, and JAKOB 251
ROSENBERG, NAOMI, and BALTIMORE, DAVID. The effect of helper virus on Abelson virus-induced transformation of lymphoid cells 1126
ROSS, GORDON D., JAROWSKI, CHARLES I., RABELLINO, ENRIQUE M., and WINCHESTER, ROBERT J. The sequential appearance of Ia-like antigens and two different complement receptors during the maturation of human neutrophils 730
—. See RABELLINO, ROSS, TRANG, WILLIAMS, and METCALF 434
ROUBINIAN, J. R., TALAL, N., GREENSPAN, J. S., GOODMAN, J. R., and SIITERI, P. K. Effect of castration and sex hormone treatment on survival, anti-nucleic acid antibodies, and glomerulonephritis in NZB/NZW F_1 mice 1568
RUDDY, SHAUN. See CONRAD, CARLO, and RUDDY 1792
RUHENSTROTH-BAUER, GERHARD. See BLOCK, JAKSCHE, BAMBERGER, and RUHENSTROTH-BAUER 541
RUOSLAHTI, ERKKI. See ENGVALL, RUOSLAHTI, and MILLER 1584
RUSSELL, PAUL S., CHASE, CATHARINE M., COLVIN, ROBERT B., and PLATE, JANET M. D. Kidney transplants in mice. An analysis of the immune status of mice bearing long-term, H-2 incompatible transplants 1449
—, CHASE, CATHARINE M., COLVIN, ROBERT B., and PLATE, JANET M. D. Induced immune destruction of long-surviving, H-2 incompatible kidney transplants in mice 1469
RUSTAGI, PRADIP K. See WEISS, RUSTAGI, and LOBUGLIO 316

S

SACHS, DAVID H. See PISETSKY, BERZOFSKY, and SACHS 396
—. See PISETSKY and SACHS 1517
SANTOLI, DANIELA. See TRINCHIERI, SANTOLI, DEE, and KNOWLES 1299
—. See TRINCHIERI and SANTOLI 1314
SCHARFF, MATTHEW D. See FRANCUS, DHARMGRONGARTAMA, CAMPBELL, SCHARFF, and BIRSHTEIN 1535
SCHEID, MARGRIT P., GOLDSTEIN, GIDEON, and BOYSE, EDWARD A. The generation and regulation of lymphocyte populations. Evidence from differentiative induction systems in vitro 1727
SCHER, CHARLES D. Effect of pseudotype on Abelson virus and Kirsten sarcoma virus-induced leukemia 1044
SCHER, I. See VOLF, SENSENBRENNER, SHARKIS, ELFENBEIN, and SCHER 940
SCHLESINGER, SONDRA. See VAN DER ZEIJST, STEWART, and SCHLESINGER 1253
SCHLOSSMAN, STUART F. See EVANS, CHESS, LEVINE, and SCHLOSSMAN 605
SCHMITT-VERHULST, ANNE-MARIE, PETTINELLI, CARLA B., HENKART, PIERRE A., LUNNEY, JOAN K., and SHEARER, GENE M. *H-2*-restricted cytotoxic effectors generated in vitro by the addition of trinitrophenyl-conjugated soluble proteins 352
SCHREINER, GEORGE F., COTRAN, RAMZI S., PARDO, VICTORIANO, and UNANUE, EMIL R. A mononuclear cell component in experimental immunological glomerulonephritis 369
SCHWARTZ, ROBERT S. See DATTA, MANNY, ANDRZEJEWSKI, ANDRÉ-SCHWARTZ, and SCHWARTZ 854
—. See DATTA, MCCONAHEY, MANNY, THEOFILOPOULOS, DIXON, and SCHWARTZ 872
SELDIN, MICHAEL F., and RICH, ROBERT R. Human immune responses to hapten-conjugated cells. I. Primary and secondary proliferative responses in vitro 1671
SENSENBRENNER, L. L. See VOLF, SENSENBRENNER, SHARKIS, ELFENBEIN, and SCHER 940
SEYBOLD, MARJORIE E. See LENNON, SEYBOLD, LINDSTROM, COCHRANE, and ULEVITCH 973
SHARKIS, S. J. See VOLF, SENSENBRENNER, SHARKIS, ELFENBEIN, and SCHER 940
SHEARER, GENE M. See SCHMITT-VERHULST, PETTINELLI, HENKART, LUNNEY, and SHEARER 352
SHEK, PANG N., and COONS, ALBERT H. Effect of colchicine on the antibody response. I. Enhancement of antibody formation in mice 1213
—, WALTENBAUGH, CARL, and COONS, ALBERT H. Effect of colchicine on the antibody response. II. Demonstration of the inactivation of suppressor cell activities by colchicine 1228
SHEN, F. W. See EARDLEY, HUGENBERGER, MCVAY-BOUDREAU, SHEN, GERSHON, and CANTOR 1106
SHEN, F. W. See CANTOR, MCVAY-BOUDREAU, HUGENBERGER, NAIDORF, SHEN, and GERSHON 1116
SHERMAN, LINDA. See MESCHER, SHERMAN, LEMONNIER, and BURAKOFF 946
SHERR, DAVID H., SZEWCZUK, MYRON R., and SISKIND, GREGORY W. Ontogeny of B-lymphocyte function. V. Thymus cell involvement in the functional maturation of B-lymphocytes from fetal mice transferred into adult irradiated hosts 196
SIECKMANN, DONNA G., ASOFSKY, RICHARD, MOSIER, DONALD E., ZITRON, IAN M., and PAUL, WILLIAM E. Activation of mouse lymphocytes by anti-immunoglobulin. I. Parameters of the proliferative response 814
SIGAL, NOLAN H. See CANCRO, SIGAL, and KLINMAN 1
SIITERI, P. K. See ROUBINIAN, TALAL, GREENSPAN, GOODMAN, and SIITERI 1568
SIMONSON, JANICE M. See O'BRIEN and SIMONSON 219
SIMPSON, ELIZABETH. See HURME, HETHERINGTON, CHANDLER, and SIMPSON 758
—. See HURME, CHANDLER, HETHERINGTON, and SIMPSON 768
SINGER, ALFRED, COWING, CAROL, HATHCOCK, KAREN S., DICKLER, HOWARD B., and HODES, RICHARD J. Cellular and genetic control of antibody responses in vitro. III. Immune response gene regulation of accessory cell function of non-T, non-B spleen-adherent cells 1611
SINGER, S. J. See BOURGUIGNON, HYMAN, TROWBRIDGE, and SINGER 1348
SISKIND, GREGORY W. See SHERR, SZEWCZUK, and SISKIND 196
SLAVIN, S., FUKS, Z., KAPLAN, H. S., and STROBER, S. Transplantation of allogeneic bone marrow without graft-versus-host disease using total lymphoid irradiation 963
—, REITZ, B., BIEBER, C. P., KAPLAN, H. S., and STROBER, S. Transplantation tolerance in adult rats using total lymphoid irradiation: permanent survival of skin, heart, and marrow allografts 700
SMITHERS, S. R. See RAMALHO-PINTO, MCLAREN, and SMITHERS 147
SNIPPE, H. See MERCHANT, SNIPPE, LIZZIO, and INMAN 1755
SNYDER, HARRY W., JR. See OBATA, STOCKERT, O'DONNELL, OKUBO, SNYDER, and OLD 1089
SPRENT, J. Restricted helper function of F_1 hybrid T cells positively selected to heterologous erythrocytes in irradiated parental strain mice. I. Failure to collaborate with B cells of the opposite parental strain not associated with active suppression 1142
—. Restricted helper function of F_1 hybrid T cells positively selected to heterologous erythrocytes in irradiated parental strain

mice. II. Evidence for restrictions affecting helper cell induction and T-B collaboration, both mapping to the *K*-end of the *H-2* complex 1159

SPRENT, J. Restricted helper function of $F_1 \rightarrow$ parent bone marrow chimeras controlled by *K*-end and of *H-2* complex 1838

STARZINSKI-POWITZ, ANNA. See WAGNER, STARZINSKI-POWITZ, RÖLLINGHOFF, GOLSTEIN, and JAKOB 251

STEINBERG, A. D. See RAVECHÉ, STEINBERG, KLASSEN, and TJIO 1487

STEINMAN, RALPH M., BLUMENCRANZ, STEVEN J., MACHTINGER, BEVERLY G., FRIED, JERROLD, and COHN, ZANVIL A. Mouse spleen lymphoblasts generated in vitro. Their replication and differentiation in vitro 297

–, MACHTINGER, BEVERLY G., FRIED, JERROLD, and COHN, ZANVIL A. Mouse spleen lymphoblasts generated in vitro. Recovery in high yield and purity after floatation in dense bovine plasma albumin solutions 279

STENMAN, SVANTE, and VAHERI, ANTTI. Distribution of a major connective tissue protein, fibronectin, in normal human tissues 1054

STEWART, CARLETON C. See VAN DER ZEIJST, STEWART, and SCHLESINGER 1253

STOCKERT, ELISABETH. See OBATA, STOCKERT, O'DONNELL, OKUBO, SNYDER, and OLD 1089

STREILEIN, J. W. See ZINKERNAGEL, CALLAHAN, ALTHAGE, COOPER, STREILEIN, and KLEIN 897

STROBER, S. See SLAVIN, FUKS, KAPLAN, and STROBER 963

–. See SLAVIN, REITZ, BIEBER, KAPLAN, and STROBER 700

–. See ZAN-BAR, VITETTA, ASSISI, and STROBER 1374

STUTMAN, O. See CALKINS, and STUTMAN 87

SUNDHARADAS, G. See NARAYANAN and SUNDHARADAS 1355

SWIERKOSZ, JAMES E., ROCK, KENNETH, MARRACK, PHILIPPA, and KAPPLER, JOHN W. The role of *H-2*-linked genes in helper T-cell function. II. Isolation on antigen-pulsed macrophages of two separate populations of F_1 helper T cells each specific for antigen and one set of parental *H-2* products 554

SY, MAN-SUN. See MILLER, SY, and CLAMAN 788

SZEWCZUK, MYRON R. See SHERR, SZEWCZUK, and SISKIND 196

T

TADA, TOMIO, TAKEMORI, TOSHITADA, OKUMURA, KO, NONAKA, MAKOTO, and TOKUHISA, TAKESHI. Two distinct types of helper T cells involved in the secondary antibody response: independent and synergistic effects of Ia^- and Ia^+ helper T cells 446

TAKEMORI, TOSHITADA. See TADA, TAKEMORI, OKUMURA, NONAKA, and TOKUHISA 446

TALAL, N. See ROUBINIAN, TALAL, GREENSPAN, GOODMAN, and SIITERI 1568

TAN, ENG M. See ALSPAUGH, JENSEN, RABIN, and TAN 1018

–. See EISENBERG, TAN, and DIXON 582

TARGAN, STEPHAN. See JONDAL and TARGAN 1621

TASHJIAN, ARMEN H., JR. See VOELKEL, LEVINE, ALPER, and TASHJIAN 1078

THEOFILOPOULOS, ARGYRIOS N. See DATTA, MCCONAHEY, MANNY, THEOFILOPOULOS, DIXON, and SCHWARTZ 872

THÈZE, JACQUES. See GERMAIN, THÈZE, KAPP, and BENACERRAF 123

THOMSON, NAPIER M. See HOLDSWORTH, THOMSON, GLASGOW, DOWLING, and ATKINS 98

THOMPSON, RUSSELL E., MANDLE, ROBERT, JR., and KAPLAN, ALLEN P. Characterization of human high molecular weight kininogen. Procoagulant activity associated with the light chain of kinin-free high molecular weight kininogen 488

TJIO, J. H. See RAVECHÉ, STEINBERG, KLASSEN, and TJIO 1487

TOKUHISA, TAKESHI. See TADA, TAKEMORI, OKUMURA, NONAKA, and TOKUHISA 446

TRANG, HOANG T. K. See RABELLINO, ROSS, TRANG, WILLIAMS, and METCALF 434

TRINCHIERI, GIORGIO, SANTOLI, DANIELA, DEE, ROBERT R., and KNOWLES, BARBARA B. Anti-viral activity induced by culturing lymphocytes with tumor-derived or virus-transformed cells. Identification of the anti-viral activity as interferon and characterization of the human effector lymphocyte subpopulation 1299

–, and SANTOLI, DANIELA. Anti-viral activity induced by culturing lymphocytes with tumor-derived or virus-transformed cells. Enhancement of human natural killer cell activity by interferon and antagonistic inhibition of susceptibility of target cells to lysis 1314

TROWBRIDGE, IAN. See BOURGUIGNON, HYMAN, TROWBRIDGE, and SINGER 1348

TUNG, JWU-SHENG, O'DONNELL, PAUL V., FLEISSNER, ERWIN, and BOYSE, EDWARD A. Relationships of gp70 of MuLV envelopes to gp70 components of mouse lymphocyte plasma membranes 1280

U

UDEM, STEPHEN. See JU, UDEM, RAGER-ZISMAN, and BLOOM 1637

ULEVITCH, RICHARD. See LENNON, SEYBOLD, LINDSTROM, COCHRANE, and ULEVITCH 973

UNANUE, EMIL R. See SCHREINER, COTRAN, PARDO, and UNANUE 369

V

VAERMAN, JEAN-PIERRE. See LEMAITRE-COELHO,

JACKSON, and VAERMAN 934
VAHERI, ANTTI. See STENMAN and VAHERI 1054
VAN DER LOO, WESSEL. See BLACK, VAN DER LOO, LOKEN, and HERZENBERG 984
VAN DER MEER, JOS W. M., BULTERMAN, DINI, VAN ZWET, THEDA L., ELZENGA-CLAASEN, INE, and VAN FURTH, RALPH. Culture of mononuclear phagocytes on a teflon surface to prevent adherence 271
VAN DER ZEIJST, BEN A. M., STEWART, CARLETON, C., and SCHLESINGER, SONDRA. Proliferative capacity of mouse peritoneal macrophages in vitro 1253
VAN FURTH, RALPH. See VAN DER MEER, BULTERMAN, VAN ZWET, ELZENGA-CLAASEN, and VAN FURTH 271
VAN ZWET, THEDA L. See VAN DER MEER, BULTERMAN, VAN ZWET, ELZENGA-CLAASEN, and VAN FURTH 271
VASSALLI, JEAN-DOMINIQUE, GRANELLI-PIPERNO, ANGELA, GRISCELLI, CLAUDE, and REICH, E. Specific protease deficiency in polymorphonuclear leukocytes of Chédiak-Higashi syndrome and beige mice 1285
VERBONITZ, MARTHA W., ENNIS, FRANCIS A., HICKS, JOHN T., and ALBRECHT, PAUL. Hemagglutinin-specific complement-dependent cytolytic antibody response to influenza infection 265
VITETTA, E. S. See ZAN-BAR, VITETTA, ASSISI, and STROBER 1374
VOELKEL, EDWARD F., LEVINE, LAWRENCE, ALPER, CHESTER A., and TASHJIAN, ARMEN H., JR. Acute phase reactants ceruloplasmin and haptoglobin and their relationship to plasma prostaglandins in rabbits bearing the VX_2 carcinoma 1078
VOLF, D., SENSENBRENNER, L. L., SHARKIS, S. J., ELFENBEIN, G. J., and SCHER, I. Induction of partial chimerism in nonirradiated B-lymphocyte-deficient CBA/N mice 940
VON BOEHMER, HARALD, HAAS, WERNER, and POHLIT, HELMUT. Cytotoxic T cells recognize male antigen and H-2 as distinct entities 1291

W

WAGNER, HERMANN, STARZINSKI-POWITZ, ANNA, RÖLLINGHOFF, MARTIN, GOLSTEIN, PIERRE, and JAKOB, HEDWIG. T-cell-mediated cytotoxic immune responses to F9 teratocarcinoma cells: cytolytic effector T cells lyse H-2-negative F9 cells and syngeneic spermatogonia 251
WAGSHAL, ALAN B., JEGASOTHY, BRIAN V., and WAKSMAN, BYRON H. Regulatory substances produced by lymphocytes. VI. Cell cycle specificity of inhibitor of DNA synthesis action in L cells 171
WAKSMAN, BYRON H. See WAGSHAL, JEGASOTHY, and WAKSMAN 171
WALTENBAUGH, CARL. See SHEK, WALTENBAUGH, and COONS 1228
WARNER, CAROL M., BERNTSON, TOM J., EAKLEY, LOIS, MCIVOR, JUDITH L., and NEWTON, ROBERT C. The immune response of allophenic mice to DNP_{56} BGG. I. Allotype analysis of anti-dinitrophenyl antibody 1849
WATSON, JAMES, LARGEN, MICHAEL, and MCADAM, KEITH P. W. J. Genetic control of endotoxic responses in mice 39
WEBB, SUSAN R. See GROSSI, WEBB, ZICCA, LYDYARD, MORETTA, MINGARI, and COOPER 1405
WEIGLE, WILLIAM O. See GOODMAN, PARKS, and WEIGLE 800
WEILER, JOHN M., YURT, ROGER W., FEARON, DOUGLAS T., and AUSTEN, K. FRANK. Modulation of the formation of the amplification convertase of complement, C3b, Bb, by native and commercial heparin 409
WEISS, STEPHEN J., RUSTAGI, PRADIP K., and LOBUGLIO, ALBERT F. Human granulocyte generation of hydroxyl radical 316
WEKERLE, HARTMUT. Immunological T-cell memory in the in vitro-induced experimental autoimmune orchitis. Specificity of the reaction and tissue distribution of the autoantigens 233
WERB, ZENA. Biochemical actions of glucocorticoids on macrophages in culture. Specific inhibition of elastase, collagenase, and plasminogen activator secretion and effects on other metabolic functions 1695
—, FOLEY, ROSEMARY, and MUNCK, ALLAN. Interaction of glucocorticoids with macrophages. Identification of glucocorticoid receptors in monocytes and macrophages 1684
WETTSTEIN, PETER J., BAILEY, DONALD W., MOBRAATEN, LARRY E., KLEIN, JAN, and FRELINGER, JEFFREY A. T-lymphocyte response to *H-2* mutants. I. Proliferation is dependent on Ly 1^+2^+ cells 1395
WIGHT, E. See AGUET, ANDERSSON, ANDERSSON, WIGHT, BINZ, and WIGZELL 50
WIGZELL, HANS. See AGUET, ANDERSSON, ANDERSSON, WIGHT, BINZ, and WIGZELL 50
—. See BINZ, and WIGZELL 63
—. See FRISCHKNECHT, BINZ, and WIGZELL 500
—. See JANEWAY, MURPHY, KEMP, and WIGZELL 1065
—. See KIMURA and WIGZELL 1418
—. See PECK, MURGITA, and WIGZELL 667
WILLIAMS, NEIL. See RABELLINO, ROSS, TRANG, WILLIAMS, and METCALF 434
WINCHESTER, ROBERT J. See ROSS, JAROWSKI, RABELLINO, and WINCHESTER 730

Y

YAP, K. L. See BRACIALE and YAP 1236
YURT, ROGER W. See WEILER, YURT, FEARON, and AUSTEN 409

Z

ZAN-BAR, I., VITETTA, E. S., ASSISI, F., and STROBER, S. The relationship between surface immunoglobulin isotype and immune function of murine B lymphocytes. III. Expression of a single predominant isotype on primed and unprimed B cells 1374

ZARLING, JOYCE M., and BACH, FRITZ H. Sensitization of lymphocytes against pooled allogeneic cells. I. Generation of cytotoxicity against autologous human lymphoblastoid cell lines 1334

ZICCA, ANTONIO. See GROSSI, WEBB, ZICCA, LYDYARD, MORETTA, MINGARI, and COOPER 1405

ZICCARDI, ROBERT J. and COOPER, NEIL R. Demonstration and quantitation of activation of the first component of complement in human serum 385

ZIEGLER, ELIZABETH J. See DAVIS, ZIEGLER, and ARNOLD 1007

ZIFF, M. See BOTZENHARDT, KLEIN, and ZIFF 1435

ZINKERNAGEL, R. M., CALLAHAN, G. N., ALTHAGE, A., COOPER, S., KLEIN, P. A., and KLEIN, J. On the thymus in the differentiation of "H-2 self-recognition" by T cells: evidence for dual recognition? 882

–, CALLAHAN, G. N., ALTHAGE, A., COOPER, S., STREILEIN, J. W., and KLEIN, J. The lymphoreticular system in triggering virus plus self-specific cytotoxic T cells: evidence for T help 897

ZITRON, IAN M. See SIECKMANN, ASOFSKY, MOSIER, ZITRON, and PAUL 814

INDEX TO SUBJECTS

A

Abelson virus-induced leukemia, effect of pseudotype, 1044
– virus-induced transformation, lymphoid cells, effect of helper virus, 1126
Accessory cell function, non-T, non-B spleen adherent cells, immune response gene regulation, 1611
Adherence, prevention by culture of mononuclear phagocytes on Teflon surface, 271
Agglutinin, A, insolubilized, *Dolichos biflorus* competitive binding assays of A_1 and A_2 blood groups, 830
Aggregates, IgG, and immune complexes, platelet response to, effect of lipid A-rich bacterial lipopolysaccharides, 207
Aging, effect of proliferative capacity, immunohemopoietic stem cells, 1526
L-Alanine^{30}-L-tyrosine^{10}, L-glutamic acid^{60}-, nonresponder mice primed with, lymphoid cell immunosuppression, 997
–, L-glutamic acid^{60}-, specific suppressor T cells, induction of, antigen-specific suppressor factor, 123
Albumin, bovine, flotation of mouse spleen lymphoblasts, 279
–, transferrin, and soybean lipid, replacement of serum, cultures of lipopolysaccharide-reactive B lymphocytes, 923
Alkaline phosphodiesterase I, mouse peritoneal macrophage plasma membrane, 77
Alloantigens, and anti-idiotypic antibodies, binding to same receptors, activated T cells, 25
–, derepressed, lung tumor-associated, coded by *K* region of *H-2* major histocompatibility complex, 1363
–, lymphocyte, migration with specific reactivity to, 13
–, stimulating, suppressor T cell specific for, mixed lymphocyte reaction in man, 137
Alloantisera, anti-Ia, I-J controlled determinants, in vivo elimination of specific suppression, 656
Allogeneic bone marrow transplantation, without graft-versus-host disease, total lymphoid iradiation, 963
– cells, lymphocyte sensitization, generation of cytotoxicity against autologous human lymphoblastoid cell lines, 1334
– effect factor, *H-2*-restricted, B-cell-derived, *I*-region control of during B-cell activation, 1198
Allografts, skin, mouse, effects of anti-H-2K, H-2D, and anti-Ia antisera, 611
Allophenic mice, immune response to $DNP_{56}BGG$, allotype analysis of anti-DNP antibody, 1849
Allotype analysis, anti-DNP antibody, immune response of allophenic mice to $DNP_{56}BGG$, 1849
Alternative pathway components, effect on β1H globulin binding to cell-bound C3b, 1792
Amastigote multiplication, hamster macrophages, leishmaniasis, 515
Amplification convertase of complement, C3b, Bb, effect of heparin, 409
Anti-A serum, insolubilized, *Dolichos biflorus* competitive binding assays of A_1 and A_2 blood groups, 830
Antibodies, anti-idiotypic, and alloantigens, binding to same receptors, activated T cells, 25
–, anti-idiotypic, induction of transplantation immune reactions, 500
–, anti-nucleic acid, NZB/NZW F_1 mice, effect of castration and sex hormones, 1568
–, staphylococcal nuclease, gene mapping for, 1517
Antibody, anti-DNP, allotype analysis, immune response of allophenic mice to $DNP_{56}BGG$, 1849
–, anti-nuclease, staphylococcal, role of non-*H-2*-linked genes in control of, 396
–, core glycolipid, neutralization of meningococcal endotoxin, 1007
–, cytolytic response, hemagglutinin-specific complement-dependent, influenza infection, 265
– formation, mouse, effect of colchicine, 1213
– response, colchicine inactivation of suppressor cell activity, 1228
– response, genetic control, accessory cell function of non-T, non-B spleen adherent cells, 1611
– response, secondary, Ia^- and Ia^+ helper T cells, 446
Antibody-dependent cellular cytotoxicity, allosensitized human T cells, 605
Antigen, auto-, distribution, immunological T-cell memory, autoimmune orchitis, 233
–, cell surface, $G_{(RADA1)}$, mouse leukemia, relationship to murine leukemia virus, 1089
–, male, and *H-2*, recognition by cytotoxic T cells, 1291
–, nuclear, induction of, rheumatoid arthritis, lymphocyte transformation by Epstein-Barr virus, 1018

Antigen, requirement, induction of B memory cells 1824
–, specific, regulation of macrophage plasminogen activator, Bacille Calmette-Guérin infection, mouse, 1175
Antigen-pulsed macrophages, helper T cells, specific for antigen and parental *H-2* products, 554
Antigens, allo-, and anti-idiotypic antibodies, binding to same receptors, activated T cells, 25
–, allo-, derepressed, lung tumor, coded by *K* region of *H-2* major histocompatibility complex, 1363
–, allo-, lymphocyte migration with specific reactivity to, 13
–, differentiation, Ly 1, Ly 2, Thy 1, and TL, mouse T-cell tumors, 1267
–, *H-2*, thymocytes, radiation leukemia virus infection, 470
–, *H-2D*, self and non-self, cytotoxic T-cell responses, 1661
–, *H-2K* and *H-2D*, nonrandom inclusion of in Friend virus particles, 340
–, Ia-like, complement receptors, appearance during human neutrophil maturation, 730
Antigen-specific suppressor factor, target and genetics of, 110
– T-cell-suppressor factor and antigen, induction of L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10} specific suppressor T cells, 123
Anti-H-2K, H-2D, and anti-Ia antisera, effects on murine skin allografts, 611
Anti-Ia alloantisera, I-J controlled determinants, in vivo elimination of specific suppression, 656
Anti-Ia-associated proliferation, inhibition of, immunoregulatory activity of α-fetoprotein, 667
Anti-immunoglobulin activation of mouse lymphocytes, 814
Anti-phagocytosis, streptococcal M protein, correlation of immunological cross-reactions and structure, 1771
Antisera, anti-H-2K, H-2D, and anti-Ia, effects on murine skin allografts, 611
Anti-Sm reactivity, autoimmune mouse strains, 582
Anti-viral activity, interferon, characterization of human effector lymphocyte subpopulation, 1299
– activity, interferon, enhancement of human natural killer cell activity, 1314
Athymic mice, bone marrow cells, thymosin induction of deoxynucleotidyl transferase, 708
Autoantibody, spontaneous production of, genetic studies in NZB mice, 1487
Autoantigen distribution, immunological T-cell memory, autoimmune orchitis, 233
Autoanti-idiotypic killer T cells, lymphocyte transfer of suppression to normal syngeneic recipients, 63
Autoimmune mouse strains, anti-Sm reactivity, 582
– myasthenia gravis, role of complement in pathogenesis of, 973
Autoimmunity and retrovirus expression, New Zealand black mice, viral envelope glycoprotein gp70, 872
– and retrovirus expression, New Zealand black mice, xenotropic virus, 854
Autoimmunogen, mixed leukocyte culture-activated T lymphoblasts, specific immune unresponsiveness, cellular and serological effects, 50

B

B cells, immune response genes for poly-(L,Tyr,Glu)-poly-DL-Ala-L-Lys, 1596
– cells, memory, antigen requirements for induction of, 1824
– cells, memory, maturation of, loss of surface IgD, 984
– cells, noncollaboration with F_1 hybrid T cells of opposite parental strain, 1142
B lymphocyte functional maturation, role of thymus, 196
– lymphocyte-deficient nonirradiated CBA/N mice, partial chimerism, 940
– lymphocytes, lipopolysaccharide-reactive, cultures of, serum replacement by albumin, transferrin, and soybean lipid, 923
– lymphocytes, murine, surface immunoglobulin isotype and immune function, 1374
Bacille Calmette-Guérin infection, mouse, regulation of macrophage plasminogen activator by T lymphocytes and specific antigen, 1175
Bacterial lipopolysaccharides, lipid A-rich, effect on platelet response to immune complexes and IgG aggregates, 207
B-cell activation, *I*-region control of B-cell-derived *H-2*-restricted allogeneic effect factor and receptor during, 1198
– blockade, X-linked hapten-specific, CBA/N mice, 1755
– clones, mitogen-stimulated, switch from IgM to IgG secretion, 1744
– primary repertoire, influenza-specific, BALB/c mice, 776
Beige mice, protease deficiency in polymorphonuclear leukocytes, 1285
Bile duct obstruction, rat, secretory IgA and free secretory component in serum, 934
– immunoglobin A, active transport from blood, 588
Binding assays, competitive, A_1 and A_2 blood groups with insolubilized anti-A serum and A agglutinin from *Dolichos biflorus*, 830
–, β1H globulin to cell-bound C3b, effect of alternative pathway components, 1792
Blood, immunoglobin A, active transport to bile, 588
– groups A_1 and A_2, competitive binding, in-

solubilized anti-A serum and A agglutinin from *Dolichos biflorus*, 830
Bone marrow, allogeneic, transplantation without graft-versus-host disease, total lymphoid irradiation, 963
– marrow cells, athymic mice, thymosin induction of deoxynucleotidyl transferase, 708
– marrow chimeras, restricted helper function controlled by *K*-end of *H-2* complex, 1838
Burst-forming unit, erythroid, human, T-cell in vitro proliferation, 324
Butanol-extracted lipopolysaccharide, immunologic responsiveness to, C3H/HeJ mouse, 800
Bvr-1, restriction locus, endogenous BALB virus, cat × mouse somatic cell hybrids, 219

C

Carcinoma, VX_2, rabbits, relationship of ceruloplasmin and haptoglobin to plasma prostaglandins, 1078
Castration, effect on survival, anti-nucleic acid antibodies, and glomerulonephritis, NZB/NZW mice, 1568
Cat × mouse somatic cell hybrids, pleiotropic restriction of endogenous BALB virus, *Bvr-1* locus, 219
Cell cycle specificity, lymphocyte inhibitor of DNA synthesis, L cells, 171
– entry, hamster macrophages, leishmaniasis, 515
– surface glycoprotein, murine cytotoxic T lymphocytes, 1418
Cell-mediated lympholysis, against syngeneic targets at major histocompatibility complex, NZB mice, 1435
Cells, B, primary repertoire, influenza-specific, BALB/c mice, 776
–, bone marrow, athymic mice, thymosin induction of deoxynucleotidyl transferase, 708
–, cytotoxic effector, induction of spontaneous killer cell specificity, 1621
–, epithelial, secretory component, surface receptor for polymeric immunoglobulins, 1832
–, hapten-conjugated, human, immune proliferative responses to, 1671
–, helper T, Ia^- and Ia^+, secondary antibody response, 446
–, human endothelial, fibronectin synthesis, 1779
–, L, DNA synthesis, cell cycle specificity of lymphocyte inhibitor, 171
–, L, and macrophages, interaction with *Pneumocystis carinii*, 157
–, lymphoid, Abelson virus-induced transformation, effect of helper virus, 1126
–, memory B, maturation of, loss of surface IgD, 984
–, mutant Thy-1^-, localization of T25 glycoprotein by immunofluorescence and immunoelectron microscopy, 1348
Cells, neoplastic, cultured, serine enzymes, 745
–, phagocytic, chemiluminescence induced by *N*-formylmethionyl peptides, 182
–, stem, immunohemopoietic, loss of proliferative capacity, effects of aging and transplantation, 1526
–, T, activated, binding of alloantigens and anti-idiotypic antibodies to same receptors, 25
–, T, cytolysis, hexose requirement at lethal hit stage, 1551
–, T, cytotoxic, influenza virus-specific, role of viral infectivity in induction of, 1236
–, T, cytotoxic, recognition of male antigen and *H-2*, 1291
–, T, cytotoxic responses to H-Y, Ir gene mapping, 758
–, T, cytotoxic responses to H-Y, rejection of syngeneic male skin grafts, 768
–, T, cytotoxic, self-specific, plus virus, lymphoreticular system triggering of, role of thymus, 897
–, T, differentiation of *H-2* self-recognition, thymus, 882
–, T, F_1 hybrid, selected to heterologous erythrocytes, helper function, noncollaboration with B cells of opposite parental strain, 1142
–, T, F_1 hybrid, selected to heterologous erythrocytes, helper function, T-B collaboration, mapping to K-end of *H-2* complex, 1159
–, T, human, allosensitized, antibody-dependent cellular cytotoxicity, 605
–, T, lymphocyte-activating determinant locus, mapping in *I-C* subregion, 1028
–, T, specific for hapten-modified self, precommitment for self major histocompatibility complex antigens, 1065
–, T, subpopulations, human, receptors for IgM or IgG, 1405
–, T, suppressor, specific for stimulating alloantigen, mixed lymphocyte reaction, in man, 137
–, teratocarcinoma F9, T-cell-mediated cytotoxic immune response to, 251
Cellular restrictions, immunoregulatory activity of α-fetoprotein, inhibition of anti-Ia-associated proliferation, 667
Ceruloplasmin, relationship to plasma prostaglandins, VX_2 carcinoma in rabbits, 1078
Chédiak-Higashi syndrome, protease deficiency in polymorphonuclear leukocytes, 1285
Chemiluminescence of phagocytic cells, *N*-formylmethionyl peptides, 182
Chimera, bg^J/bg^J:W/W^V, hematopoietic stem cell regulatory volumes, 1189
–, bone marrow, restricted helper function controlled by *K* end of *H-2* complex, 1838
–, partial, nonirradiated B lymphocyte-deficient CBA/N mice, 940

Clones, B-cell, mitogen-stimulated, switch from IgM to IgG secretion, 1744
Clonotype, equivalent, differential expression in BALB/c and C57BL/6 mice, 1
Colchicine, effect on antibody response, inactivation of suppressor cell activity, 1228
–, enhancement of mouse antibody formation, 1213
Collagenase secretion, cultured macrophages, glucocorticoid inhibition of, 1695
Collagens, fibronectin affinity to, 1584
Complement, C3b,Bb, effect of heparin on amplification convertase of, 409
–, cell-bound C3b, binding of β1H globulin, effect of alternative pathway components, 1792
–, human serum, activation of first component, 385
– receptor, p15E, oncornavirus lysis by human serum, 844
– receptors, Ia-like antigens, appearance during human neutrophil maturation, 730
–, role in eosinophil killing of schistosomula of *Schistosoma mansoni*, 147
–, role in hemagglutinin-specific cytolytic antibody response to influenza infection, 265
–, role in pathogenesis of autoimmune myasthenia gravis, 973
–, role in thrombin-induced platelet function, 1713
Component, first, of human serum complement, activation of, 385
Connective tissue protein, fibronectin, distribution in normal human tissues, 1054
Contact activation of plasma, surface and fluid phase activities of activated Hageman factor, 719
– sensitivity, 1-fluoro-2,4-dinitrobenzene, tolerance to, lymphoid cell induction of suppressor T cells, role of *H-2D* region of major histocompatibility complex, 788
Core glycolipid, antibody to, neutralization of meningococcal endotoxin, 1007
Crescentic glomerulonephritis, tissue culture of isolated glomeruli, 98
–, T-cell-mediated, hexose requirement at lethal hit stage, 1551
Cytolytic T lymphocytes, secondary, induction by solubilized membrane proteins, 946
Cytotoxic effector cells, induction of spontaneous killer cell specificity, 1621
– effectors, *H-2* restricted, induction by trinitrophenyl-conjugated soluble proteins, 352
– immune responses, T-cell-mediated, lysis of *H-2*-negative F9 cells and syngeneic spermatogonia, 251
– T cells, influenza virus-specific, role of viral infectivity in induction of, 1236
– T cells, recognition of male antigen and *H-2*, 1291
– T cells, self-specific, plus virus, lymphoreticular system triggering of, role of thymus, 897
Cytotoxic T lymphocytes, murine, cell surface glycoproteins, 1418
– T-cell responses to H-Y, Ir gene mapping, 758
– T-cell responses to H-Y, rejection of syngeneic male skin grafts, 768
– T-cell responses, self and non-self *H-2D* antigens, restricted specificity, 1661
Cytotoxicity, cellular, antibody-dependent, allosensitized human T cells, 605
–, generation of against autologous human lymphoblastoid cell lines, 1334
–, lympho-, T-cell-mediated, leukemia-specific, acute myelogenous leukemia, 912
–, T lymphocytes, effects of polyadenylic: polyuridylic acid and lipopolysaccharide on generation of, 1355

D

Deoxynucleotidyl transferase, induction by thymosin, bone marrow cells from athymic mice, 708
Determinants, I-J, in vivo elimination of specific suppression, anti-Ia alloantisera, 656
Dextran B512, immunological unresponsiveness, lack of Ig receptor expression, 645
Differentiation, induction systems, generation and regulation of lymphocyte populations, 1727
–, mouse leukocytes, membrane receptors and phagocytic capacity, 434
– and replication in vitro, mouse spleen lymphoblasts, 297
DNA coupled to T-dependent and T-independent carriers, induction of B-memory cells, 1824
–, single-stranded, circulating, removal of, in mice, 684
– synthesis, lymphocyte inhibitor of, L cells, cell cycle specificity, 171
$DNP_{56}BGG$, immune response to, allophenic mice, allotype analysis of anti-DNP antibody, 1849
Dolichos biflorus, insolubilized anti-A serum and A agglutinin, competitive binding assays of A_1 and A_2 blood groups, 830

E

Effector cells, cytotoxic, induction of spontaneous killer cell specificity, 1621
Effectors, *H-2* restricted cytotoxic, induction by trinitrophenyl-conjugated soluble proteins, 352
Elastase secretion, cultured macrophages, glucocorticoid inhibition of, 1695
Endothelial cells, human, fibronectin synthesis, 1779
Endotoxic responses, mouse, genetic control, 39

Endotoxin, meningococcal, neutralization by antibody to core glycolipid, 1007
Energy and hexose requirement, lethal hit stage, T-cell-mediated cytolysis, 1551
Envelopes, MuLV, gp70 components of mouse lymphocyte plasma membrane, 1280
–, viral, glycoprotein gp70, autoimmunity and retrovirus expression, New Zealand black mice, 872
Enzymes, serine, cultured neoplastic cells, 745
Eosinophil, rat, killing of *Schistosoma mansoni* schistosomula, complement-mediated, 147
Epithelial cell secretory components, surface receptor for polymeric immunoglobulins, 1832
Epstein-Barr virus, lymphocyte transformation, induction of nuclear antigen, rheumatoid arthritis, 1018
Erythrocytes, heterologous, F_1 hybrid T cells selected to, helper function, noncollaboration with B cells of opposite parental strain, 1142
–, heterologous, F_1 hybrid T cells selected to, helper function, T-B collaboration, mapping to K-end of *H-2* complex, 1159
–, IgG-coated, effect of interferon inducers on macrophage ingestion of, 593
Erythroid burst-forming unit, human, T-cell in vitro proliferation, 324

F

Factor, migration inhibitory, human, 541
–, suppressor, antigen-specific, target and genetics of, 110
–, suppressor, T-cell-, antigen-specific, induction of L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10} specific suppressor T cells, 123
–, T-cell, soluble, suppression of mixed lymphocyte reaction, in man, 1037
Feedback inhibition, immunoregulatory circuits, T-cell sets, absence in NZB mice, 1116
– inhibition, immunoregulatory circuits, T-cell sets, role of T-helper cells, 1106
α-Fetoprotein, immunoregulatory activity, inhibition of anti-Ia-associated proliferation, 667
Fibrinogen, fibronectin affinity to, 1584
Fibronectin affinity to collagens and fibrinogen, 1584
–, connective tissue protein, distribution in normal human tissues, 1054
– synthesis, human endothelial cells, 1779
Fluid phase activity, activated Hageman factor, contact activation of plasma, 719
1-Fluoro-2,4-dinitrobenzene contact sensitivity, tolerance to, lymphoid cell induction of suppressor T cells, role of *H-2D* region of major histocompatibility complex, 788
N-Formylmethionyl peptides, induction of chemiluminescence, phagocytic cells, 182
Friend virus leukemia, genetic resistance to, gene (*Fv-3*) regulating immunosuppression, 422
Friend virus particles, nonrandom inclusion of *H-2K* and *H-2D* antigens, 340

G

$G_{(RADA1)}$ cell surface antigen, mouse leukemia, relationship to murine leukemia virus, 1089
Gene mapping for anti-nuclease idiotypes, genetic control of immune response to staphylococcal nuclease, 1517
– mapping, Ir, cytotoxic T-cell responses to H-Y, 758
Genes, *H-2*-linked, role in helper T-cell function, antigen-pulsed macrophages specific for antigen and parental *H-2* products, 554
–, *H-2* linked, role in helper T-cell function, immune response for poly (L-Tyr,Glu)-poly-DL-Ala-poly-L-Lys in B cells and macrophages, 1596
–, lupus nephritis, NZB × NZW mice, 1653
–, V, nonrandom expression, immunological unresponsiveness to dextran B512, 645
Genetic basis, susceptibility to mouse leukemia induction by 3-methylcholanthrene, 459
– control of antibody responses, accessory cell function of non-T, non-B spleen adherent cells, 1611
– control, endotoxic responses in mice, 39
– control, immune response to staphylococcal nuclease, mapping of genes for anti-nuclease idiotypes, 1517
– control, immune response to staphylococcal nuclease, role of non-*H-2*-linked genes in anti-nuclease antibody response, 396
– relationships, antigen-specific suppressor factor, 110
– resistance to Friend virus leukemia, gene (*Fv-3*) regulating immunosuppression, 422
– restrictions, immunoregulatory activity of α-fetoprotein, inhibition of anti-Ia-associated proliferation, 667
– restrictions, suppressor T-cell induction by lymphoid cells, tolerance to 1-fluoro-2,4-dinitrobenzene contact sensitivity, role of *H-2D* region of major histocompatibility complex, 788
– studies, autoimmunity and retrovirus expression, New Zealand black mice, viral envelope glycoprotein gp70, 872
– studies, autoimmunity and retrovirus expression, New Zealand black mice, xenotropic virus, 854
– studies, NZB mice, spontaneous autoantibody production, 1487
β1H Globulin binding to cell-bound C3b, effect of alternative pathway components, 1792
Glomerulonephritis, crescentic, tissue culture of isolated glomeruli, 98
–, immunological, mononuclear cell component, 369

Glomerulonephritis, NZB/NZW mice, effect of castration and sex hormones, 1568
Glomerulus, tissue culture, crescentic glomerulonephritis, 98
Glucocorticoid inhibition of elastase, collagenase, and plasminogen activator secretion, cultured macrophages, 1695
– receptors, monocytes and macrophages, 1684
L-Glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10}, nonresponder mice primed with, lymphoid cell immunosuppression, 997
–, specific suppressor T cells, induction of, antigen-specific suppressor factor, 123
Glycolipid, core, antibody to, neutralization of meningococcal endotoxin, 1007
Glycoproteins, cell surface, murine cytotoxic T lymphocytes, 1418
– gp70, viral envelope, autoimmunity and retrovirus expression, New Zealand black mice, 872
–, T25, wild-type and Thy-1$^-$ mutant cells, localization by immunofluorescence and immunoelectron microscopy, 1348
gp70 components, mouse lymphocyte plasma membranes, MuLV envelopes, 1280
Graft-versus-host disease, absence in allogeneic bone marrow transplantation, total lymphoid irradiation, 963
Granulocytes, human, generation of hydroxyl radical, 316
Guinea pig, immunogenicity of serotype 2 vaccines, specificity of protection against group B meningococcal disease, 629
– pig, infection and immunity, group B meningococcal disease, 619

H

H-2 antigens, thymocytes, radiation leukemia virus infection, 470
– complex, *K*-end, control of helper function, bone marrow chimeras, 1838
– complex, *K*-end, mapping, T-B collaboration, helper cell induction, 1159
– incompatible, long-term kidney transplants, induced immune destruction, 1469
– incompatible, long-term kidney transplants, immune status of mice with, 1449
– linked genes, role in helper T-cell function, antigen-pulsed macrophages specific for antigen and parental *H-2* products, 554
– linked genes, role in helper T-cell function, immune response genes for poly (L-Tyr,Glu)-poly-DL-Ala-poly-L-Lys in B cells and macrophages, 1596
– major histocompatibility complex, *K* region, coding of lung tumor-associated derepressed alloantigen, 1363
– and male antigen, recognition by cytotoxic T cells, 1291
– mutants, T lymphocyte proliferative response to, 1395
– negative F9 cells, lysis by cytolytic effector T cells, 251
H-2 restricted allogeneic effect factor, B-cell-derived, *I*-region control of during B-cell activation, 1198
– restricted cytotoxic effectors, induction by trinitrophenyl-conjugated soluble proteins, 352
– self-recognition, thymus, T-cell differentiation of, 882
H-2D antigens, self and non-self, cytotoxic T-cell responses, 1661
– region, major histocompatibility complex, role in lymphoid cell induction of suppressor T cells, tolerance to 1-fluoro-2,4-dinitrobenzene contact sensitivity, 788
H-2K and *H-2D* antigens, nonrandom inclusion of in Friend virus particles, 340
Hageman factor, activated, surface and fluid phase activity, contact activation of plasma, 719
Hamster, leishmaniasis, macrophage interaction, cell entry, intracellular survival, amastigote multiplication, 515
Hapten-binding receptors, idiotypic restriction, T lymphocytes, 1341
Hapten-conjugated cells, human immune proliferative responses to, 1671
Hapten-modified self, T cells specific for, precommitment for self major histocompatibility complex antigens, 1065
Hapten-specific, X-linked B-cell blockade, CBA/N mice, 1755
Haptoglobin, relationship to plasma prostaglandins, VX_2 carcinoma in rabbits, 1078
Helper function, F_1 hybrid T cells selected to heterologous erythrocytes, noncollaboration with B cells of opposite parental strain, 1142
– function, F_1 hybrid T cells selected to heterologous erythrocytes, T-B collaboration, mapping to K-end of *H-2* complex, 1159
– function, restricted, bone marrow chimeras controlled by *K*-end of *H-2* complexes, 1838
– T-cell function, role of *H-2*-linked genes, antigen-pulsed macrophages specific for antigen and parental *H-2* products, 554
– T-cell function, role of *H-2* linked genes, immune response genes for poly (L-Tyr,Glu)-poly-DL-Ala-poly-L-Lys in B cells and macrophages, 1596
– T cells, Ia$^-$ and Ia$^+$, secondary antibody response, 446
– virus, effect on Abelson virus-induced transformation of lymphoid cells, 1126
Hemagglutinin-specific complement-dependent cytolytic antibody response to influenza infection, 265
Hematopoietic stem cell regulatory volumes, bg^J/bg^J:W/W^V chimera, 1139
– thymocyte precursors, evidence of heterogeneity, 1843
Heparin, effect on amplification convertase of complement, C3b, Bb, 409
Hepatocytes, embryonic chick, plasma protein synthesis, patterns during first three days of

culture, 1806
Hexose requirement, lethal hit stage, T-cell-mediated cytolysis, 1551
Histocompatibility complex, major, cell-mediated lympholysis against syngeneic targets, NZB mice, 1435
– complex, major, *H-2, K* region, coding of lung tumor-associated derepressed alloantigen, 1363
– complex, major, *H-2D* region, role in lymphoid cell induction of suppressor T cells, tolerance to 1-fluoro-2,4-dinitrobenzene contact sensitivity, 788
– complex, major self, precommitment for, T cells specific for hapten-modified self, 1065
– complex, major, single locus control of immune response to poly-L-(Tyr,Glu)-poly-DL-Ala-poly-L-Lys, 599
HLA-D identity between suppressor and responder, requirement for suppression, 137
Hormone, sex, effect on survival, anti-nucleic acid antibodies, and glomerulonephritis, NZB/NZW mice, 1568
H-Y, cytotoxic T-cell responses to, Ir gene mapping, 758
–, cytotoxic T-cell responses to, rejection of syngeneic male skin grafts, 768

I

Ia^- and Ia^+ helper T cells, secondary antibody response, 446
Ia-like antigens, complement receptors, appearance during human neutrophil maturation, 730
I-C subregion mapping, T cells, lymphocyte-activating determinant locus, 1028
Idiotype restriction, hapten-binding receptors, T lymphocytes, 1341
Idiotypic, anti-, antibodies, and alloantigens, binding to same receptors, activated T cells, 25
I-J controlled determinants, in vivo elimination of specific suppression, anti-Ia alloantisera, 656
Immune complexes and IgG aggregates, platelet response to, effect of lipid A-rich bacterial lipopolysaccharides, 207
– destruction, long-term *H-2* incompatible kidney transplants, 1449
– function and surface immunoglobulin isotype, murine B lymphocytes, 1374
– reactions, transplantation, anti-idiotypic antibody induction of, 500
– response, cytotoxic, T-cell-mediated, lysis of *H-2*-negative F9 cells and syngeneic spermatogonia, 251
– response to $DNP_{56}BGG$, allophenic mice, allotype analysis of anti-DNP antibody, 1849
– response gene regulation, accessory cell function of non-T, non-B spleen adherent cells, 1611
– response genes for poly-L(Tyr,Glu)-poly-DL-Ala-poly-L-Lys, B cells and macrophages, 1596
Immune response, human, to hapten-conjugated cells, 1671
– response to poly-L-(Tyr,Glu)-poly-DL-Ala-poly-L-Lys, control by single major histocompatibility complex locus, 599
– response to staphylococcal nuclease, gene mapping for anti-nuclease idiotypes, 1517
– response to staphylococcal nuclease, role of non-*H-2*-linked genes in anti-nuclease antibody response, 396
– status, long-term *H-2* incompatible kidney transplants, 1449
– unresponsiveness, mixed leukocyte culture-activated T lymphoblasts as autoimmunogen, autoanti-idiotypic killer T cells, suppression transfer to normal syngeneic recipients, 63
– unresponsiveness, mixed leukocyte culture-activated T lymphoblasts as autoimmunogen, cellular and serological effects, 50
Immunity, group B meningococcal disease, guinea pig model, 619
Immunoelectron microscopy, localization of T25 glycoprotein in wild-type and $Thy\text{-}1^-$ mutant cells, 1348
Immunofluorescence, localization of T25 glycoprotein in wild-type and $Thy\text{-}1^-$ mutant cells, 1348
Immunogenicity, serotype 2 vaccines, specificity of protection against group B meningococcal disease, guinea pig model, 629
Immunoglobulin A, active transport of from blood to bile, 588
Immunoglobulin A, secretory and free secretory component, rat serum, bile duct obstruction, 934
–, anti-, activation of mouse lymphocytes, 814
– D loss, lymphocyte surface, maturation of memory B cells, 984
– G aggregates, and immune complexes, platelet response to, effect of lipid A-rich bacterial lipopolysaccharides, 207
– G receptor, human T-cell subpopulations, 1405
– G-coated erythrocytes, effect of interferon inducers on macrophage ingestion of, 593
– IgG_{2a} variants, mouse myeloma cell line, 1535
– isotype, surface, and immune function, murine B lymphocytes, 1374
– M receptor, human T-cell subpopulations, 1405
– M, switch to IgG-secretion, single mitogen-stimulated B-cell clones, 1744
– receptor expression, lack of, immunological unresponsiveness to dextran B512, 645
Immunoglobulins, polymeric, receptor for on epithelial cells, 1832
Immunohemopoietic stem cells, loss of proliferative capacity, effects of aging and transplantation, 1526
Immunological cross-reactions, correlation with structure, streptococcal M protein, an-

ti-phagocytosis, 1771
Immunological glomerulonephritis, mononuclear cell component, 369
– responsiveness, butanol-extracted lipopolysaccharide, C3H/HeJ mouse, 800
– T-cell memory, autoantigen distribution, autoimmune orchitis, 233
– unresponsiveness to dextran B512, lack of Ig receptor expression, 645
Immunoregulatory activity, α-fetoprotein, inhibition of anti-Ia-associated proliferation, 667
– circuits, T-cell sets, feedback inhibition, role of T-helper cells, 1106
– circuits, T-cell sets, role of feedback inhibition, absence in NZB mice, 1116
Immunosuppression, lymphoid cells, nonresponder mice primed with L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10}, 997
–, regulation by gene *Fv-3*, genetic resistance to Friend virus leukemia, 422
Induction systems, differentiative, generation and regulation of lymphocyte populations, 1727
Infection, Bacille Calmette-Guérin, mouse, regulation of macrophage plasminogen activator by T lymphocytes and specific antigen, 1175
–, and immunity, group B meningococcal disease, guinea pig model, 619
–, influenza, hemagglutinin-specific complement-dependent cytolytic antibody response, 265
–, radiation leukemia virus, *H-2* antigens on thymocytes, 470
–, viral, role in induction of influenza virus-specific cytotoxic T cells, 1236
Influenza infection, hemagglutinin-specific complement-dependent cytolytic antibody response, 265
– virus-specific cytotoxic T cells, role of viral infectivity in induction of, 1236
Influenza-specific primary B-cell repertoire, BALB/c mice, 776
Interferon, anti-viral activity, characterization of human effector lymphocyte subpopulation, 1299
–, anti-viral activity, enhancement of human natural killer cell activity, 1314
– inducers, effect on macrophage ingestion of IgG-coated erythrocytes, 593
Ionophore, potassium, inhibition of mitogen stimulation of human lymphocytes, 571
I-region control of B-cell-derived *H-2*-restricted allogeneic effect factor and receptor during B-cell activation, 1198
Ir gene mapping, cytotoxic T-cell responses to H-Y, 758
Irradiation, total lymphoid, allogeneic bone marrow transplantation without graft-versus-host disease, 963
Isotype, surface immunoglobulin, and immune function, murine B lymphocytes, 1374

K

K end of *H-2* complex, control of helper function, bone marrow chimeras, 1838
– end, *H-2* complex, mapping, T-B collaboration, helper cell induction, 1159
– region, *H-2* major histocompatibility complex, coding of lung tumor-associated derepressed alloantigen, 1363
Kidney transplantation, long-term *H-2* incompatible, immune status of mice with, 1449
– transplantation, long-term *H-2* incompatible, induced immune destruction, 1469
Killer cell activity, human lymphocytes, enhancement by interferon, 1314
–, spontaneous, cell specificity, induction of, cytotoxic effector cells, 1621
– T cells, autoanti-idiotypic, lymphocyte transfer of suppression to normal syngeneic recipients, 63
Killing, complement-mediated, of *Schistosoma mansoni* schistosomula by rat eosinophils, 147
Kininogen, high molecular weight, human, procoagulant activity of light chain of, 488
Kirsten sarcoma virus-induced leukemia, effect of pseudotype, 1044

L

L cells, DNA synthesis, cell cycle specificity of lymphocyte inhibitor, 171
– cells and macrophages, interaction with *Pneumocystis carinii*, 157
Leishmania donovani, hamster macrophage interactions, cell entry, intracellular survival, amastigote multiplication, 515
Lethal hit stage, T-cell-mediated cytolysis, hexose requirement, 1551
Leukemia, Abelson virus and Kirsten sarcoma virus-induced, effect of pseudotype, 1044
–, acute myelogenous, autologous leukemia-specific T-cell-mediated lymphocytotoxicity, 912
–, Friend virus, genetic resistance to, gene (*Fv-3*) regulating immunosuppression, 422
–, mice, genetic basis of susceptibility to induction by 3-methylcholanthrene, 459
–, mouse, cell surface antigen $G_{(RADA1)}$, relationship to murine leukemia virus, 1089
–, radiation, virus infection, *H-2* antigens on thymocytes, 470
Leukocyte differentiation, mouse, membrane receptors and phagocytic capacity, 434
Leukocytes, polymorphonuclear, protease deficiency, Chédiak-Higashi syndrome, beige mice, 1285
Lipid A-rich bacterial lipopolysaccharides, effect on platelet response to immune complexes and IgG aggregates, 207
–, soybean, albumin, and transferrin, replacement of serum, cultures of lipopolysaccharide-reactive B lymphocytes, 923
Lipopolysaccharide, butanol-extracted, immu-

nologic responsiveness to, C3H/HeJ mouse, 800
Lipopolysaccharide, effect on generation of cytotoxic T lymphocytes, 1355
–, lipid A-rich bacterial, effect on platelet response to immune complexes and IgG aggregates, 207
Lipopolysaccharide-reactive B lymphocytes, cultures of, serum replacement by albumin, transferrin, and soybean lipid, 923
Locus, lymphocyte-activating determinant, T cells, mapping in *I-C* subregion, 1028
–, restriction, *Bvr-1*, endogenous BALB virus, cat × mouse somatic cell hybrids, 219
–, single, major histocompatibility complex, control of immune response to poly-L-(Tyr,Glu)-poly-DL-Ala-poly-L-Lys, 599
Lung tumor, derepressed alloantigen coded by *K* region of *H-2* major histocompatibility complex, 1363
Lupus nephritis, three genes for, NZB × NZW mice, 1653
Lymph nodes, migration of specifically reactive lymphocytes to, 13
Lymphoblastoid cell lines, autologous, generation of cytotoxicity against, 1334
– cell lines, human, temperature-sensitive measles virus mutants, 1637
Lymphoblasts, mouse spleen, flotation in bovine albumin solutions, 279
–, mouse spleen in vitro replication and differentiation, 297
–, T, mixed leukocyte culture-activated, specific immune unresponsiveness, autoanti-idiotypic killer T cells, suppression transfer to normal syngeneic recipients, 63
–, T, mixed leukocyte culture-activated, specific immune unresponsiveness, cellular and serological effects, 50
Lymphocyte inhibitor of DNA synthesis, L cells, cell cycle specificity, 171
– interaction allogeneic, *I*-region control, 1198
– migration, specific reactivity to alloantigens, 13
– plasma membrane, mouse, gp70 components, MuLV envelopes, 1280
– populations, generation and regulation of, 1727
– sensitization, generation of cytotoxicity against autologous human lymphoblastoid cell lines, 1334
– subpopulations, human, interferon antiviral activity, 1299
– surface, IgD loss, maturation of memory B cells, 984
Lymphocyte-activating determinant locus, T cells, mapping in *I-C* subregion, 1028
Lymphocytes, B, functional maturation, role of thymus, 196
–, B, lipopolysaccharide-reactive, cultures of, serum replacement by albumin, transferrin, and soybean lipid, 923
Lymphocytes, B, murine, surface immunoglobulin isotype and immune function, 1374
–, culture with tumor-derived or virus-transformed cells, interferon enhancement of natural killer cell activity, antagonistic inhibition of target cell susceptibility to lysis, 1314
–, human, stimulation by mitogens, inhibition by potassium ionophore, 571
–, mouse, activation by anti-immunoglobulin, 814
–, murine, loss of surface IgD, 984
–, T, cytolytic, secondary, induction by solubilized membrane proteins, 946
–, T, cytotoxic, effects of polyadenylic:polyuridylic acid and lipopolysaccharide on generation of, 1355
–, T, cytotoxic, murine, cell surface glycoproteins, 1418
–, T, hapten-binding receptors, idiotypic restriction, 1341
–, T, regulation of macrophage plasminogen activator, Bacille Calmette-Guérin infection, mouse, 1175
–, T, response to *H-2* mutants, proliferation of, 1395
–, transformation by Epstein-Barr virus, induction of nuclear antigen, rheumatoid arthritis, 1018
Lymphocytotoxicity, T-cell-mediated, leukemia-specific, acute myelogenous leukemia, 912
Lymphoid cell allografts, migration of specifically reactive lymphocytes to, 13
– cell immunosuppression, nonresponder mice primed with L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10}, 997
– cell induction, suppressor T cells, tolerance to 1-fluoro-2,4-dinitrobenzene contact sensitivity, role of *H-2D* region of major histocompatibility complex, 788
– cell transformations, Abelson virus-induced, effect of helper virus, 1126
– irradiation, total, allogeneic bone marrow transplantation without graft-versus-host disease, 963
Lympholysis, cell-mediated, against syngeneic targets at major histocompatibility complex, NZB mice, 1435
Lymphoreticular system, triggering of virus plus self-specific cytotoxic T cells, role of thymus, 897
Lysis, oncornaviruses by human serum, identification of complement (C1) receptor as p15E, 844

M

Macrophage activation, ingestion of IgG-coated erythrocytes, effect of interferon inducers, 593
– phenotype, mouse, inborn resistance to myxoviruses, 531

Macrophage plasminogen activator, regulation by T lymphocytes and specific antigen, Bacille Calmette-Guérin infection, mouse, 1175
Macrophages, antigen-pulsed, helper T cells, specific for antigen and parental *H-2* products, 554
–, cultured, glucocorticoid inhibition of elastase, collagenase, and plasminogen activator secretion, 1695
–, hamster, leishmaniasis, cell entry, intracellular survival, amastigote multiplication, 515
–, immune response genes for poly-(L-Tyr,Glu)-poly-DL-Ala-poly-L-Lys, 1596
– and L cells, interaction with *Pneumocystis carinii*, 157
– and monocytes, glucocorticoid receptors, 1684
–, peritoneal, mouse, in vitro proliferative capacity, 1253
–, peritoneal, mouse, plasma membrane alkaline phosphodiesterase I, 77
–, peritoneal, mouse, prostaglandin E production, 952
Male antigen and *H-2*, recognition by cytotoxic T cells, 1291
–, syngeneic, skin graft rejection, cytotoxic T-cell responses to H-Y, 768
Man, activation of first component of complement, 385
–, autologous lymphoblastoid cell lines, generation of cytotoxicity against, 1334
–, blood monocytes, prostaglandin E production, 952
–, effector lymphocyte subpopulation, interferon anti-viral activity, 1299
–, endothelial cells, fibronectin synthesis, 1779
–, erythroid burst-forming unit, T-cell proliferation in vitro, 324
–, granulocyte generation of hydroxyl radical, 316
–, high molecular weight kininogen, procoagulant activity of light chain of, 488
–, immune proliferative responses to hapten-conjugated cells, 1671
–, lymphoblastoid cell lines, temperature-sensitive measles virus mutants, 1637
–, lymphocyte stimulation by mitogens, inhibition by potassium ionophore, 571
–, migration inhibitory factor, 541
–, mixed lymphocyte reaction, suppressor T-cell specific for stimulating alloantigen, 137
–, natural killer cell activity, enhancement by interferon, 1314
–, neutrophils, appearance of Ia-like antigens and complement receptors during maturation of, 730
–, serum, lysis of oncornavirus, identification of complement (C1) receptor as p15E, 844
–, suppression of mixed lymphocyte reaction by soluble T-cell factor, 1037
–, T-cell subpopulations, receptors for IgM or IgG, 1405
Man, T cells, allosensitized, antibody-dependent cellular cytotoxicity, 605
Mapping, Ir genes, cytotoxic T-cell responses to H-Y, 758
–, *K*-end of *H-2* complex, T-B collaboration, helper cell induction, 1159
Measles virus, temperature-sensitive mutants, isolation from infected human lymphoblastoid cell lines, 1637
Membrane, plasma, alkaline phosphodiesterase I, mouse peritoneal macrophages, 77
–, plasma, mouse lymphocyte, gp70 components, MuLV envelopes, 1280
– proteins, solubilized, induction of secondary cytolytic T lymphocytes, 946
– receptors, phagocytic capacity, mouse leukocyte differentiation, 434
Memory B cells, maturation of, loss of surface IgD, 984
– cells, B, antigen requirements for induction of, 1824
–, immunological, T-cell, autoantigen distribution, autoimmune orchitis, 233
Meningococcal disease, group B, immunogenicity of serotype 2 vaccines, specificity of protection, guinea pig model, 629
– disease, group B, infection and resulting immunity, guinea pig model, 619
– endotoxin, neutralization by antibody to core glycolipid, 1007
3-Methylcholanthrene, induction of mouse leukemia, genetic basis for susceptibility to, 459
Migration inhibitory factor, human, 541
–, lymphocytes with specific reactivity to alloantigens, 13
Mitogen stimulation of human lymphocytes, inhibition by potassium ionophore, 571
Mitogen-stimulated B-cell clones, switch from IgM to IgG secretion, 1744
Mixed leukocyte culture-activated T lymphoblasts, specific immune unresponsiveness, autoanti-idiotypic killer T cells, suppression transfer to normal syngeneic recipients, 63
– leukocyte culture-activated T lymphoblasts, specific immune unresponsiveness, cellular and serological effects, 50
– lymphocyte reaction, suppression by soluble T-cell factor, in man, 1037
– lymphocyte reaction, suppressor T cell specific for stimulating alloantigen, 137
Monocytes, blood, human, prostaglandin E production, 952
– and macrophages, glucocorticoid receptors, 1684
Mononuclear cell component, immunological glomerulonephritis, 369
Mouse, allophenic, immune response to $DNP_{36}BGG$, allotype analysis of anti-DNP antibody, 1849
–, antibody formation, effect of colchicine, 1213
–, athymic, bone marrow cells, thymosin in-

duction of deoxynucleotidyl transferase, 708
Mouse, autoimmune strains, anti-Sm reactivity, 582
–, Bacille Calmette-Guérin infection, regulation of macrophage plasminogen activator by T lymphocytes and specific antigen, 1175
–, BALB/c, influenza-specific primary B-cell repertoire, 776
–, BALB/c and C57BL/6, differential expression of equivalent clonotype, 1
–, beige, protease deficiency in polymorphonuclear leukocytes, 1285
– × cat somatic cell hybrids, pleiotropic restriction of endogenous BALB virus, *Bvr-1* locus, 219
–, CBA/N, nonirradiated B lymphocyte-deficient, partial chimerism, 940
–, CBA/N, X-linked, hapten-specific B-cell blockade, 1755
–, C3H/HeJ, immunologic responsiveness to butanol-extracted lipopolysaccharide, 800
–, cytotoxic T lymphocytes, cell surface glycoproteins, 1418
–, genetic resistance to Friend virus leukemia, gene (*Fv-3*) regulating immunosuppression, 422
– histiocytic and myelomonocytic tumor cell lines, in vitro pyrogen production, 1503
–, inborn resistance to myxoviruses, phenotype of macrophages, 531
–, leukemia, cell surface antigen, G_{RADA1}, relationship to murine leukemia virus, 1089
– leukemia, genetic basis of susceptibility to induction by 3-methylcholanthrene, 459
–, leukocyte differentiation, membrane receptors and phagocytic capacity, 434
– lymphocyte plasma membranes, gp70 components, MuLV envelopes, 1280
– lymphocytes, activation by anti-immunoglobulin, 814
– myeloma cell line, production of IgG_{2a} variants, 1535
–, New Zealand black, autoimmunity and retrovirus expression, viral envelope glycoprotein gp70, 872
–, New Zealand black, autoimmunity and retrovirus expression, xenotropic virus, 854
–, nonresponder, primed with L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10}, lymphoid cell immunosuppression, 997
–, NZB, absence of feedback inhibition, immunoregulatory circuits, T-cell sets, 1116
–, NZB, cell-mediated lympholysis against syngeneic targets, major histocompatibility complex, 1435
–, NZB, genetic studies in, spontaneous autoantibody production, 1487
–, NZB/NZW F_1, effect of castration and sex hormone on survival, anti-nucleic acid antibodies, and glomerulonephritis, 1568
–, NZB × NZW, three genes for lupus nephritis, 1653
Mouse, peritoneal macrophages, in vitro proliferative capacity, 1253
–, peritoneal macrophages, plasma membrane alkaline phosphodiesterase I, 77
–, peritoneal macrophages, prostaglandin E production, 952
–, postnatal development, changes in suppressor mechanisms, 87
–, removal of circulating single-stranded DNA, 684
–, skin allografts, effects of anti-H-2K, H-2D, and anti-Ia antisera, 611
–, spleen lymphoblasts, floatation in bovine albumin solutions, 279
–, spleen lymphoblasts, in vitro replication and differentiation, 297
–, T-cell tumors, Ly-1, Ly-2, Thy-1, and TL differentiation antigens, 1267
MuLV envelopes, gp70 components of mouse lymphocyte plasma membranes, 1280
Mutant, *H-2*, T lymphocyte proliferative response to, 1395
– Thy-1$^-$ cells, localization of T25 glycoprotein by immunofluorescence and immunoelectron microscopy, 1348
Mutants, temperature-sensitive measles virus, human lymphoblastoid cell lines, 1637
Myasthenia gravis, autoimmune, role of complement in pathogenesis of, 973
Myeloma cell line, mouse, production of IgG_{2a} variants, 1535
Myxoviruses, inborn resistance to, mice, macrophage phenotype, 531

N

Neoplastic cells, cultured, serine enzymes, 745
Neutrophils, human, appearance of Ia-like antigens and complement receptors during maturation of, 730
Nigericin inhibition of mitogen stimulation of human lymphocytes, 571
Nonresponder mice primed with L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10}, lymphoid cell immunosuppression, 997
Nuclease, staphylococcal, genetic control of immune response to, gene mapping for anti-nuclease idiotypes, 1517
–, staphylococcal, immune response to, role of non-*H-2*-linked genes in anti-nuclease antibody response, 396

O

Oncornavirus lysis by human serum, identification of complement (C1) receptor as p15E, 844
Ontogeny, B lymphocyte maturation, thymus cell involvement, 196
Orchitis, autoimmune, immunological T-cell memory, autoantigen distribution, 233

P

p15E, complement receptor, oncornavirus lysis

by human serum, 844
Pathogenesis of autoimmune myasthenia gravis, role of complement, 973
Peptides, *N*-formylmethionyl, induction of chemiluminescence, phagocytic cells, 182
Phagocytes, mononuclear, culture on Teflon surface to prevent adherence, 271
Phagocytic capacity, membrane receptors, mouse leukocyte differentiation, 434
– cells, chemiluminescence induced by *N*-formylmethionyl peptides, 182
Phenotype, macrophages, mouse, inborn resistance to myxoviruses, 531
Plasma contact activation, surface and fluid phase activities of activated Hageman factor, 719
– membrane, alkaline phosphodiesterase I, mouse peritoneal macrophages, 77
– protein synthesis, embryonic chick hepatocytes, patterns during first three days of culture, 1806
Plasminogen activator, macrophage, regulation by T lymphocytes and specific antigen, Bacille Calmette-Guérin infection, mouse, 1175
– activator secretion, cultured macrophages, glucocorticoid inhibition of, 1695
Platelet function, thrombin-induced, role of complement, 1713
– response to immune complexes and IgG aggregates, effect of lipid A-rich bacterial lipopolysaccharides, 207
Pneumocystis carinii, in vitro interaction with macrophages and L cells, 157
Polyadenylic:polyuridylic acid, effect on generation of cytotoxic T lymphocytes, 1355
Poly-L-(Tyr,Glu)-poly-DL-Ala-poly-L-Lys, immune response to, control by single major histocompatibility complex locus, 599
Postnatal development, mouse, changes in suppressor mechanisms, 87
Potassium ionophore (nigericin), inhibition of mitogen stimulation of human lymphocytes, 571
Procoagulant activity, light chain of human high molecular weight kininogen, 488
Proliferation, anti-Ia-associated, inhibition of, immunoregulatory activity of α-fetoprotein, 667
–, mouse lymphocytes, activation by anti-immunoglobulin, 814
–, T-cell, human erythroid burst-forming unit, 324
Proliferative capacity, loss of in immunohemopoietic stem cells, effects of aging and transplantation, 1526
– capacity, mouse peritoneal macrophages, 1253
– response to *H-2* mutants, T lymphocytes, 1395
– responses, human, to hapten-conjugated cells, 1671
Prostaglandin E production, human blood monocytes, mouse peritoneal macrophages, 952
Prostaglandins, plasma, relationship to ceruloplasmin and haptoglobin, VX_2 carcinoma in rabbits, 1078
Protease deficiency, polymorphonuclear leukocytes, Chédiak-Higashi syndrome, beige mice, 1285
Proteins, connective tissue, fibronectin, distribution in normal human tissues, 1054
– membrane, solubilized, induction of secondary cytolytic T lymphocytes, 946
–, plasma, synthesis of, embryonic chick hepatocytes, patterns during first three days of culture, 1806
–, streptococcal M, nonionic detergent extracted, correlation of immunological cross-reactions and structural similarities, anti-phagocytosis, 1771
–, trinitrophenyl-conjugated, induction of *H-2* restricted cytotoxic effectors, 352
Pseudotype, effect on Abelson virus and Kirsten sarcoma virus-induced leukemia, 1044
Pyrogen production, mouse histiocytic and myelomonocytic tumor cell lines, 1503

R

Rabbit, VX_2 carcinoma, relationship of ceruloplasmin and haptoglobin to plasma prostaglandins, 1078
Radiation leukemia virus infection, *H-2* antigens on thymocytes, 470
Rat, bile duct obstruction, secretory IgA and free secretory component in serum, 934
Receptor binding of alloantigens and anti-idiotypic antibodies, activated T cells, 25
Receptors, complement, Ia-like antigens, appearance during human neutrophil maturation, 730
–, complement, p15E, oncornavirus lysis by human serum, 844
–, glucocorticoid, monocytes and macrophages, 1684
–, hapten-binding, idiotypic restriction, T lymphocytes, 1341
–, IgM or IgG, human, T-cell subpopulations, 1405
–, membrane, phagocytic capacity, mouse leukocyte differentiation, 434
–, polymeric immunoglobulins, epithelial cell secretory component, 1832
Responder strains, immunological unresponsiveness to dextran B512, lack of Ig receptor expression, 645
Responsiveness, immunologic, butanol-extracted lipopolysaccharide, C3H/HeJ mouse, 800
Restriction locus, *Bvr-1*, endogenous BALB virus, cat × mouse somatic cell hybrids, 219
Retrovirus expression and autoimmunity, New Zealand black mice, viral envelope glycoprotein gp70, 872
– expression and autoimmunity, New Zealand

black mice, xenotropic virus, 854
Rheumatoid arthritis, induction of nuclear antigen, lymphocyte transformation by Epstein-Barr virus, 1018

S

Schistosoma mansoni, schistosomula, complement-mediated killing of by rat eosinophils, 147
Schistosomula, *Schistosoma mansoni*, complement-mediated killing of by rat eosinophils, 147
Secretory component, epithelial cells, surface receptor for polymeric immunoglobulins, 1832
– IgA and free secretory component, rat serum, bile duct obstruction, 934
Serine enzymes, cultured neoplastic cells, 745
Serotype 2, vaccines, immunogenicity of, specificity of protection against group B meningococcal disease, guinea pig model, 629
Serum, anti-A, insolubilized, *Dolichos biflorus*, competitive binding assays of A_1 and A_2 blood groups, 830
–, human, lysis of oncornavirus, identification of complement (C1) receptor as p15E, 844
–, rat, bile duct obstruction, secretory IgA and free secretory component, 934
– replacement by albumin, transferrin, and soybean lipid, cultures of lipopolysaccharide-reactive B lymphocytes, 923
Sex hormone, effect on survival, anti-nucleic acid antibodies, and glomerulonephritis, NZB/NZW mice, 1568
Skin allografts, murine, effect of anti-H-2K, H-2D, and anti-Ia antisera, 611
– graft rejection, male syngeneic cytotoxic T-cell responses to H-Y, 768
Specificity, restricted, self and non-self *H-2D* antigens, cytotoxic T-cell responses, 1661
Spermatogonia, syngeneic, lysis by cytolytic effector T cells, 251
Spleen-adherent cells, non-B, non-T, immune response gene regulation of accessory cell function of, 1611
–, lymphoblasts, mouse, floatation in bovine albumin solutions, 279
–, lymphoblasts, mouse, in vitro replication and differentiation, 297
Staphylococcal nuclease, genetic control of immune response to, gene mapping for anti-nuclease idiotypes, 1517
– nuclease, immune response to, role of non-*H-2*-linked genes in anti-nuclease antibody response, 396
Stem cell, hematopoietic, regulatory volumes, bg^J/bg^J:W/W^V chimera, 1189
–, cells, immunohemopoietic, loss of proliferative capacity, effects of aging and transplantation, 1526
Streptococcal M protein, nonionic detergent extracted, correlation of immunological cross-reactions and structural similarities, anti-phagocytosis, 1771
Structure, correlation with immunological cross-reactions, streptococcal M protein, anti-phagocytosis, 1771
Suppression, elimination of, in vivo effects of anti-Ia alloantisera, 656
–, mixed lymphocyte reaction, soluble T-cell factor, in man, 137
–, transfer of to normal syngeneic recipients by T or B lymphocytes, 63
Suppressor cell activity, colchicine inactivation of, 1228
– factor, antigen-specific, target and genetics of, 110
– factor, T-cell-, antigen-specific, induction of L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10} specific suppressor T cells, 123
– mechanisms, changes in during mouse postnatal development, 87
– T-cell induction by lymphoid cells, tolerance to 1-fluoro-2,4-dinitrobenzene contact sensitivity, role of *H-2D* region of major histocompatibility complex, 788
– T cell specific for stimulating alloantigen, mixed lymphocyte reaction, in man, 137
Surface antigen, $G_{(RADA1)}$, mouse leukemia, relationship to murine leukemia virus, 1089
– glycoproteins, murine cytotoxic T lymphocytes, 1418
– immunoglobulin isotype and immune function, murine B lymphocytes, 1374
–, lymphocyte, IgD loss, maturation of memory B cells, 984
– phase activity, activated Hageman factor, contact activation of plasma, 719
– receptor for polymeric immunoglobulins, epithelial cells, 1832
Survival, intracellular, hamster, leishmaniasis, 515
–, NZB/NZW F_1 mice, effect of castration and sex hormones, 1568
Susceptibility, genetic basis, to mouse leukemia induction by 3-methylcholanthrene, 459
– to lysis, target cell, antagonistic inhibition by interferon, 1314
Syngeneic male skin graft rejection, cytotoxic T-cell responses to H-Y, 768
– recipients, transfer of suppression to by T or B lymphocytes, 63
– spermatogonia, lysis by cytolytic effect T cells, 251
– targets at major histocompatibility complex, cell-mediated lympholysis, NZB mice, 1435

T

T cells, activated, binding of alloantigens and anti-idiotypic antibodies to same receptors, 25
– cells, cytotoxic, influenza virus-specific, role of viral infectivity in induction of, 1236
– cells, cytotoxic, recognition of male antigen

and *H-2*, 1291
T cells, cytotoxic, self-specific, plus virus, lymphoreticular system triggering of, role of thymus, 897
– cells, differentiation of *H-2* self-recognition, thymus, 882
– cells, F_1 hybrid, selected to heterologous erythrocytes, helper function, noncollaboration with B cells of opposite parental strain, 1142
– cells, F_1 hybrid, selected to heterologous erythrocytes, helper function, T-B collaboration, mapping to K-end of *H-2* complex, 1159
– cells, helper, Ia^- and Ia^+, secondary antibody response, 446
– cells, human, allosensitized, antibody-dependent cellular cytotoxicity, 605
– cells, lymphocyte-activating determinant locus, mapping in *I-C* subregion, 1028
– cells specific for hapten-modified self, precommitment for self major histocompatibility complex antigens, 1065
– cells, suppressor, induction by lymphoid cells, tolerance to 1-fluoro-2,4-dinitrobenzene contact sensitivity, role of *H-2D* region of major histocompatibility complex, 788
T-dependent and T-independent carriers, DNA coupled to, induction of B-memory cells, 1824
T lymphoblasts, mixed leukocyte culture-activated, specific immune unresponsiveness, autoanti-idiotypic killer T cells, suppression transfer to normal syngeneic recipients, 63
– lymphoblasts, mixed leukocyte culture-activated, specific immune unresponsiveness, cellular and serological effects, 50
T lymphocytes, cytolytic, secondary, induction by solubilized membrane proteins, 946
– lymphocytes, cytotoxic, effects of polyadenylic:polyuridylic acid and lipopolysaccharide on generation of, 1355
– lymphocytes, cytotoxic, murine, cell surface glycoproteins, 1418
– lymphocytes, hapten-binding receptors, idiotypic restriction, 1341
– lymphocytes, regulation of macrophage plasminogen activator, Bacille Calmette-Guérin infection, mouse, 1175
– lymphocytes, response to *H-2* mutants, proliferation of, 1395
Target cell susceptibility to lysis, antagonistic inhibition by interferon, 1314
–, syngeneic, major histocompatibility complex, cell-mediated lympholysis against, NZB mice, 1435
T-B collaboration, helper cell induction, F_1 hybrid T cells selected to heterologous erythrocytes, mapping to K-end of *H-2* complex, 1159
T-cell cytotoxic responses to H-Y, Ir gene mapping, 758
–, cytotoxic responses to H-Y, rejection of syngeneic male skin grafts, 768
T-cell cytotoxic responses, self and non-self *H-2D* antigens, restricted specificity, 1661
– factor, soluble, suppression of mixed lymphocyte reaction, in man, 1037
– helper function, role of *H-2*-linked genes, antigen-pulsed macrophages specific for antigen and parental *H-2* products, 554
– helper function, role of *H-2*-linked genes, immune response genes for poly (L-Tyr,Glu)-poly-DL-Ala-poly-L-Lys in B cells and macrophages, 1596
– mediated cytolysis, hexose requirement at lethal hit stage, 1551
– mediated cytotoxic immune responses to F9 teratocarcinoma cells, 251
– mediated lymphocytotoxicity, autologous leukemia-specific, acute myelogenous leukemia, 912
– memory, immunological, autoantigen distribution, autoimmune orchitis, 233
– proliferation in vitro, human erythroid burst-forming unit, 324
– sets, immunoregulatory circuits, feedback inhibition, role of T-helper cells, 1106
– sets, immunoregulatory circuits, role of feedback inhibition, absence in NZB mice, 1116
– subpopulations, human, receptors for IgM or IgG, 1405
– suppression, specific for stimulating alloantigen, mixed lymphocyte reaction, in man, 137
– suppressor factor, antigen-specific, induction of L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10} specific suppressor T cells, 123
– tumors, mouse, Ly-1, Ly-2, Thy-1, and TL differentiation antigens, 1267
Teflon surface, culture of mononuclear phagocytes on to prevent adherence, 271
Temperature-sensitive measles virus mutants, isolation from infected human lymphoblastoid cell lines, 1637
Teratocarcinoma F9 cells, T-cell-mediated cytotoxic immune responses to, 251
Thrombin, role in uptake of C3 and C5, 1713
Thymocyte precursors, hematopoietic, evidence of heterogeneity, 1843
Thymocytes, *H-2* antigens, radiation leukemia virus infection, 470
Thymus, differentiation of *H-2* self-recognition by T cells, 882
–, lymphoreticular system, triggering of virus plus self-specific cytotoxic T cells, 897
–, role in B-lymphocyte functional maturation, 196
Tissue culture, embryonic chick hepatocytes, patterns of plasma protein synthesis, 1806
– culture, isolated glomeruli, crescentic glomerulonephritis, 98
– culture, mononuclear phagocytes on Teflon surface to prevent adherence, 271
Tissues, normal human, distribution of fibronectin, 1054

Tolerance to 1-fluoro-2,4-dinitrobenzene contact sensitivity, lymphoid cell induction of suppressor T cells, role of *H-2D* region of major histocompatibility complex, 788
Transferrin, albumin, and soybean lipid, replacement of serum, cultures of lipopolysaccharide-reactive B lymphocytes, 923
Transplantation, allogeneic bone marrow, without graft-versus-host disease, total lymphoid irradiation, 963
– immune reactions, anti-idiotypic antibody induction of, 500
–, kidney, long-term *H-2* incompatible, immune status of mice with, 1449
–, kidney, long-term *H-2* incompatible, induced immune destruction, 1469
–, serial, loss of proliferative capacity, immunohemopoietic stem cells, 1526
Trinitrophenyl-conjugated soluble proteins, induction of *H-2* restricted cytotoxic effectors, 352
Tumor, lung, derepressed alloantigen coded by *K* region of *H-2* major histocompatibility complex, 1363
–, mouse histiocytic and myelomonocytic cell lines, in vitro pyrogen production, 1503
Tumor-derived cells, lymphocyte culture, identification of anti-viral activity as interferon, 1299
Tumors, T-cell, mouse, Ly-1, Ly-2, Thy-1, and TL differentiation antigens, 1267
L-Tyrosine^{10}, L-glutamic acid^{60}-L-alanine^{30}-, nonresponder mice primed with, lymphoid cell immunosuppression, 997
–, L-glutamic acid^{60}-L-alanine^{30}-, specific suppressor T cells, induction of, antigen-specific suppressor factor, 123

U

Unresponsiveness, immunological, to dextran B512, lack of Ig receptor expression, 645
–, specific immune, mixed leukocyte culture-activated T lymphoblasts as autoimmunogen, autoanti-idiotypic killer T cells, suppression transfer to normal syngeneic recipients, 63
–, specific immune, mixed leukocyte culture-activated T lymphoblasts as autoimmunogen, cellular and serological effects, 50

V

V genes, nonrandom expression, immunological unresponsiveness to dextran B512, 645
Vaccines, serotype 2, immunogenicity of, specificity of protection against group B meningococcal disease, guinea pig model, 629
Virus, Abelson, induction of leukemia, effect of pseudotype, 1044
–, Abelson, induction of lymphoid cell transformation, effect of helper virus, 1126
–, endogenous BALB, cat × mouse somatic cell hybrids, *Bvr-1* restriction locus, 219
–, envelope glycoprotein gp70, autoimmunity and retrovirus expression, New Zealand black mice, 872
–, Epstein-Barr, lymphocyte transformation, induction of nuclear antigen, rheumatoid arthritis, 1018
–, Friend leukemia, genetic resistance to, gene (*Fv-3*) regulating immunosuppression, 422
–, Friend, particles, nonrandom inclusion of *H-2K* and *H-2D* antigens, 340
–, helper, effect on Abelson virus-induced transformation of lymphoid cells, 1126
– infection, radiation leukemia, *H-2* antigens on thymocytes, 470
–, influenza, cytotoxic T cells, role of viral infectivity in induction of, 1236
–, measles, temperature-sensitive mutants, isolation from infected human lymphoblastoid cell lines, 1637
–, murine leukemia, relationship to cell surface antigen $G_{(RADA1)}$, mouse leukemia, 1089
–, myxo-, inborn resistance to, mice, macrophage phenotype, 531
– plus self-specific cytotoxic T cells, lymphoreticular system triggering of, role of thymus, 897
–, xenotropic, autoimmunity and retrovirus expression, New Zealand black mice, 854
Virus-transformed cells, lymphocyte culture, identification of anti-viral activity as interferon, 1299
Volumes, regulatory, hematopoietic stem cell, bg^J/bg^J:W/W^V chimera, 1189
VX_2 carcinoma, rabbits, relationship to ceruloplasmin and haptoglobin of plasma prostaglandins, 1078

X

Xenotropic virus, autoimmunity and retrovirus expression, New Zealand black mice, 854
X-linked, hapten-specific B-cell blockade, CBA/N mice, 1755